PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)						
(51) International Patent Classification ⁷ : A61K 48/00		(11) International Publication Number: WO 00/25827				
		(43) International Publication Date: 11 May 2000 (11.05.00)				
 (21) International Application Number: PCT/EP (22) International Filing Date: 18 October 1999 ((30) Priority Data: MI98A002330 30 October 1998 (30.10.98) (71) Applicant (for all designated States except US): MIRICERCHE S.P.A. [IT/IT]; Via Tito Speri, 10, Pomezia (IT). (72) Inventors; and (75) Inventors/Applicants (for US only): PARENTE, Din (IT). DI MASSIMO, Anna, Maria [IT/IT]; SANTIS, Rita [IT/IT]; Via Rismondo, I-50131 Fir (74) Agent: MINOJA, Fabrizio; Bianchetti Bracco Minoja Rossini, 8, I-20122 Milano (IT). 	18.10.9 ENARII I-0004 o [IT/IT] (IT). Lenze (IT)	BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.				
(54) Title: PHARMACEUTICAL COMPOSITION, COMENDOWED WITH ANTI-TUMOR EFFECT		NG FRAGMENTS OF AN ANTIGENIC PROTEIN ENCODING DNA				
(57) Abstract						
Provided herein is a pharmaceutical composition overexpressed in tumor cells, in order to induce an ant and adjuvants.	contai i–tumoi	ning one or more DNA molecules encoding fragments of a protein Ag-specific immune response, in association with suitable excipients				

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
\mathbf{BJ}	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	$\mathbf{z}\mathbf{w}$	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 00/25827 PCT/EP99/07874

PHARMACEUTICAL COMPOSITION, CONTAINING FRAGMENTS OF AN ANTIGENIC PROTEIN ENCODING DNA ENDOWED WITH ANTI-TUMOR EFFECT.

Field of the invention

The invention relates to a pool of DNA plasmid constructs containing the sequences of human MUC-1 encoding fragments and to a pool of DNA plasmids in which the fragments themselves are preceded by the sequence encoding a protein consisting of human ubiquitin fused to a bacterial LacI fragment. The invention further relates to their use in the preparation of pharmaceutical compositions for use as DNA anti-tumor vaccines.

Background art

5

10

15

20

25

. 30

The invention provides an anti-tumor therapy based on the induction or activation of the immune response able to bring about tumor rejection. The validity of such an idea is demonstrated from the first clinical results; for example, patients treated with a viral vaccine containing the Carcinoembryonic Antigen (CEA) encoding sequences demonstrated immune system activation against this antigen (Tsang KY et al. J. Natl. Cancer. Inst. 87: 982, 1995).

The activation of an immune anti-tumor response is achievable through four different approaches:

- a) Ex vivo engineering of patient tumor cells in order to make them more immunogenic and suitable as a vaccine;
- b) Ex vivo engineering of patient immune cells in order to pre-activate an in vitro immune response.
- c) Inoculation of naked or liposome capsulated or viral particle integrated (retrovirus, vaccinia virus, adenovirus, etc.) DNA encoding tumor associated antigens;
- d) Treatment with recombinant or synthetic soluble tumor antigens conjugated or mixed with adjuvants.

The first two approaches consist of the engineering of every single patient cell and are limited in that they are necessarily patient-specific, while the latter two are aimed to

obtain products comparable to a traditional drug.

5

10

15

20

25

30

The new vaccination methods reflect the development of new technologies. The recent indications coming experimentation on DNA naked vaccines that induce either a persistent antibody or a cell immune response, traditional protein subunit vaccines constituted of certain specific peptides, inducing a lymphocyte population, obsolete. Intramuscularly or intradermically injected proteins, encoded by naked DNA, induce a cytotoxic-specific response as well as a helper response. This powerful combination is extremely effective but the underling mechanism is not completely clarified yet. Muscle cells express class I MHC antigens at low levels only, and do not apparently express class II antigens or co-stimulatory molecules. Consequently, transfected muscle cells are unlikely to play an important role in the onset of the immune response per se. Recent data show that Antigen Presenting Cells (APC), such as macrophages or dendritic cells, play a fundamental role in capturing the myocyte released antigen and in the subsequent processing and presenting of the respective peptides in the context of the class I and II molecules, thus inducing a CD8+ cell activation with cytotoxic activity as well as activation of the CD4+ cells co-operating with B lymphocytes in eliciting the antibody response (Corr M et al J. Exp. Med. 184:1555, 1996) (Tighe, H. et al. Immunology Today 19:89, 1998).

Furthermore, the use of cytokines is known to improve the therapeutic effect deriving from immunization with DNA. Cytokines can be administered in the form of exogenous proteins as reported in *Irvine et al.*, *J. Immunol. 156: 238, 1996*. An alternative approach is represented by the contemporaneous inoculation of both the tumor antigen or the desired cytokine encoding plasmids, thus allowing the cytokine to be produced in situ (Kim JJ et al. Immunol 158: 816, 1997).

The active immunization approach of the present invention is based on the use of DNA vectors as vaccines against the MUC-1

antigen orPolymorphic Epithelial Mucin human overexpressed in tumor cells. MUC-1 is an epithelial luminal surface glycoprotein (Patton S. et al. BBA 1241:407, 1995). In the cell transformation process this glycoprotein loses the apical localization and its expression level rises dramatically. The protein function consists of protecting the surfaces, for example in the mammal gland, ovary, endometrium, colon, stomach, pancreas, bladder, kidney, etc. A glycosylation defect is reported that makes tumor cell associated MUC-1 antigenically different from normal cell associated MUC-1. This phenomenon causes tumor MUC-1 to expose the antigen epitopes that are normally masked by the sugar moieties in the normal cell expressed MUC-1. This characteristic makes tumor MUC-1 particularly interesting in an induction of a tumor specific antibody response (Apostolopoulos V. et al. Crit. Rev. Immunol. 14:293, 1994).

5

10

15

20

25

30

As an objective, the vaccination is aimed at inducing immune responses against tumor cells expressing MUC1 at high levels, preserving at the same time the low expressing normal epithelia. The DNA vaccination relies upon the entrance of a gene or portions thereof inside the body cells followed by transcription and translation of the inserted sequence and thus the intracellular synthesis of the corresponding polypeptide. An important advantage of this system is that the neo-synthesized protein is naturally processed inside the cell and the produced peptides are associated with the Major Histocompatibility Complex class I molecules (MHC-I). The MHC/peptide complexes are therefore naturally exported to the cell surface where they can be recognized by the immune system CD8+ cytotoxic cells. Only the polypeptides synthesized inside the cell are then processed and presented in association with the MHC class I molecules, thus making it the only mechanism to stimulate, a specific cytotoxic response. Vaccination systems based on protein or peptide administration are usually more effective in stimulating the antibody immune response which, to date, has been shown to be ineffective in rejecting tumor cells. Current gene therapy techniques rely upon DNA packaging in recombinant viral vectors (retrovirus and adenovirus). The naked DNA administration is much more advantageous in terms of effectiveness and safety compared to viral vector therapies (Kumar V and Sercarz E. Nature Med. 2: 857, 1996; McDonnel WM et al., New England J. of Med. 334: 42, 1996). In fact naked DNA is unable either to duplicate or integrate in the host tissue DNA and does not induce the immune response to viral proteins.

5

10

15

20

25

30

The use of the ubiquitin to enhance the neo-synthesized protein processing and thus cytotoxic lymphocyte induction was recently reported (Rodriguez F. et al., J. Virology 71: 8497, 1997). The use of ubiquitin in order to generate proteins with an N-terminal amino acid, making them unstable and thus prone to enhanced degradation, had been previously reported (Bechmair A. et al., SCIENCE 234: 179, 1986). The higher instability of these proteins was subsequently related to enhanced intracellular processing and presentation of model proteins by MHC-1 (Grant E P et al., J. Immunol. 155: 3750, 1995) (Wu Y and Kipps T.J., J. Immunol. 159: 6037, 1997).

The use of single constructs containing partial antigen encoding DNA fragments (influenza virus nucleoprotein), having a higher antigenic presentation efficiency compared analogues with the whole antigenic sequence, in DNA vaccination was reported (Anton L. C. et al., J. Immunol. 158: 2535, 1997). processing of intracellular proteins Furthermore the presentation of the respective peptides by MHC class I proteins physiologic conditions, underlie the mechanism immunological surveillance. For a given protein and a specific MHC context, there are peptide fragments termed dominants (i. e. prevailing on subdominants or cryptics), which are unable to generate any immune response because they are recognized as "self". It has now been outlined, according to an aspect of the

5

present invention, that an approach aimed at supporting the non-dominant epitope presentation by the administration of a mix of antigen protein fragments is able to elicit a surprising cytotoxic immune response.

Description of the invention

5

10

15

20

25

30

It has now been found that DNA molecules, encoding fragments of a protein overexpressed in tumor cells, can be conveniently used to induce an antigen-specific anti-tumor immune response.

The invention relates particularly to a pharmaceutical composition containing one or more DNA encoding Mucin (MUC-1) protein fragments.

The DNA used in the present invention can be plasmid or viral DNA, preferably plasmid DNA obtained employing the pMRS30 expression vector described in fig. 13.

The compositions according to the invention contain preferably at least two DNA fragments of the Mucin (MUC-1) or of another protein overexpressed in tumor cells.

The compositions according to the invention contain preferably at least four fragments, each ranging from 200 to about 700 nucleotides, each sequence being juxtaposed and possibly partially overlapping, from about 50 to about 150 nucleotides, at the 3' and/or 5' end of the adjacent one.

The DNA fragments according to the invention can be possibly preceded at the 5' end by a ubiquitin encoding DNA sequence and possibly also by a LacI portion of Escherichia coli.

The invention relates also to new DNA fragments and to the use of Mucin-1 fragments defined above in the medicine and antitumor vaccine preparation.

Description of the figures

Fig. 1

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS166 expression

vector. This DNA includes the sequence corresponding to nucleotides 136-339 of the EMBL sequence J05581, preceded by the translation start codon, ATG and followed by the two translation stop codons, TGA and TAA. The encoded polypeptide thus includes a Metionin followed by the amino acids encoded by the 136-339 fragment of the EMBL sequence J05581.

Fig. 2

5

10

15

20

25

30

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS169 expression vector. This DNA includes the sequence corresponding to nucleotides 205-720 of the EMBL sequence J05581, preceded by the translation start codon, ATG and followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes a Metionin followed by the amino acids encoded by the 205-720 fragment of the EMBL sequence J05581.

Fig. 3

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS168 expression vector. This DNA includes the sequence corresponding to nucleotides 631-1275 of the EMBL sequence J05581, preceded by the translation start codon, ATG and followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes a Metionin followed by the amino acids encoded by the 631-1275 fragment of the EMBL sequence J05581.

Fig. 4

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS167 expression vector. This DNA includes the sequence corresponding to nucleotides 1222-1497 of the EMBL sequence J05581, preceded by the translation start codon, ATG and followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes a Metionin followed by the

PCT/EP99/07874 WO 00/25827

amino acids encoded by the 1222-1497 fragment of the EMBL sequence J05581.

Fig. 5

5

10

15

20

25

30

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS175 expression vector. This DNA includes the sequence corresponding to nucleotides 136-1497 of the EMBL sequence J05581, preceded by the translation start codon, ATG and followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes a Metionin followed by the amino acids encoded by the 136-1497 fragment of the EMBL sequence J05581.

Fig. 6

Nucleotide DNA sequence (with the respective amino acid sequence) termed UBILacI. The encoded polypeptide includes the Ubiquitin sequence fused to a partial sequence of the bacterial protein beta-galactosidase, as described in Chau V. et al. Science 243: 1576, 1989.

Fig. 7

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the expression vector pMRS30 to give the pMRS171 expression vector. This DNA includes the sequence termed UBILacI (see fig. 6) fused to the sequence corresponding to nucleotides 136-339 of the EMBL sequence J05581 followed by two translation stop codons, TGA and TAA. The coded polypeptide thus includes the amino acid sequence reported in Fig. 6, fused to the sequence including the amino acids encoded by the fragment 136-339 of the EMBL sequence J05581.

Fig. 8

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS174 expression vector. This DNA includes the sequence termed UBILacI (see fig. 6) fused to the sequence partially corresponding to nucleotides 205-720 of the EMBL

sequence J05581 followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes the amino acid sequence reported in Fig. 6, fused to the sequence including the amino acids encoded by the fragment 205-720 of the EMBL sequence J05581.

Fig. 9

5

10

15

20

25

30

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS173 expression vector. This DNA includes the sequence termed UBILacI (see fig. 6) fused to the sequence partially corresponding to nucleotides 631-1275 of the EMBL sequence J05581 followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes the amino acid sequence reported in Fig. 6, fused to the sequence including the amino acids encoded by the fragment 631-1275 of the EMBL sequence J05581.

Fig. 10

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS172 expression vector. This DNA includes the sequence termed UBILacI (see fig. 6) fused to the sequence partially corresponding to nucleotides 1222-1497 of the EMBL sequence J05581 followed by two translation stop codons, TGA and TAA. The encoded polypeptide thus includes the amino acid sequence reported in Fig. 6, fused to the sequence including the amino acids encoded by the fragment 1222-1497 of the EMBL sequence J05581.

Fig. 11

Nucleotide DNA sequence (with the respective amino acid sequence) inserted at the XbaI site of the pMRS30 expression vector to give the pMRS176 expression vector. This DNA includes the sequence named UBILacI (see fig. 6) fused to the sequence partially corresponding to nucleotides 136-1497 of the EMBL sequence J05581 followed by two translation stop codons, TGA and

TAA. The encoded polypeptide thus includes the amino acid sequence reported in Fig. 6, fused to the sequence including the amino acids encoded by the fragment 136-1497 of the EMBL sequence J05581.

Fig. 12

5

10

15

20

25

30

Electrophoretic analysis on 1% agarose gel in 1X TBE. mRNA extracted from CHO, CD34+ dendritic cells and dendritic cells from PBMC, respectively, transfected with pMRS169, and subjected to RT-PCR reaction either with (lanes 4, 8, 12) or without (lanes 5, 9, 13) Reverse Transcriptase. Molecular weight DNA marker (lane 1); internal negative controls (lanes 2, 6); internal positive controls (lanes 3, 7, 10, 11); positive control from Promega kit (lane 14).

Fig. 13

Nucleotide sequence of the pMRS30 expression vector. The 1-2862 region corresponds to the AccI (location 504) - BamHI (location 3369) region of the pSV2CAT vector (EMBL M77788); the 2863-3721 region includes the human cytomegalovirus promoter (human cytomegalovirus major immediate-early gene enhancer); the 3722-4905 region includes several cloning sites, including XbaI (location 3727), and the processing signal of the rabbit betaglobin gene.

Detailed description of the invention

A DNA plasmid pool encoding, in eukaryotic cells, fragments of the MUC-1 human protein antigen was prepared. Constructs are based on the mammalian expression vector termed pMRS30, described in figure 13 and previously claimed in the Patent Application W095/11982, and contain partial sequences of the MUC-1 cDNAs reported in the EMBL database with accession number J05581. MUC-1 encoding DNA was fragmented so that each fragment represents a discrete portion, partially overlapping to the adjacent ones. Administration of a mix of such plasmids can cause different plasmids to transfect different APC cells at the administration site. Therefore such cells produce and process

discrete portions of the MUC-1 protein giving the related peptides. In those conditions, the occurring subdominant and cryptic peptides can also be presented in association with class I MHC molecules thus generating a cytotoxic immune response.

5

10

15

20

25

30

The present invention thus relates to the use of a group of four constructs (Figures 1 to 4) containing MUC-1 cDNA partial fragments in admixture containing at least two of them and a group of four constructs (Figures 7 to 10) containing MUC-1 cDNA partial fragment preceded by the DNA encoding a protein sequence containing Ubiquitin and an Escherichia coli Lac I portion (Figure 6) used separately or in admixture containing at least two of them.

The present invention relates also to the use of the construct (Figure 5) containing the almost complete sequence of the MUC-1 cDNA and the construct (Figure 11) containing the almost complete sequence of the MUC-1 cDNA preceded by the DNA encoding a protein sequence containing Ubiquitin and an Escherichia coli Lac I portion.

The mixture of the four constructs containing the partial fragments of the MUC-1 cDNA and the mixture of the four constructs containing the partial fragments of the MUC-1 cDNA preceded by the DNA encoding a protein sequence, containing Ubiquitin and an Escherichia coli Lac I portion, represents a preferred embodiment of the present invention.

Constructs according to the present invention can be used in the anti-tumor therapy of patient affected with tumors characterized by high MUC-1 expression.

Constructs described in the present invention were obtained as follows.

In the case of the first series of constructs, the fragments of the MUC-1 DNA were obtained by RT-PCR from BT20 cell line or by DNA partial chemical synthesis. Such fragments were then cloned into the pMRS30 expression vector and verified by sequencing.

WO 00/25827

5

10

15

20

25

30

In the case of the second series of constructs, fragments were obtained from the first series of constructs by a PCR re-amplification. These fragments were then fused to the DNA encoding the Ubiquitin (obtained by RT-PCR from MCF7 cell line mRNA) and a partial lacI sequence (obtained by PCR from the commercial vector pGEX). DNA sequences thus obtained were then cloned in the pMRS30 expression vector and verified sequencing. For the intended therapeutic or prophylactic uses, fragments or constructs according to the invention are suitably formulated, using carriers and methods previously employed in vaccines, naked DNA as described for example Immunologist, 1994, 2:1; WO 90/11092, Proc. Natl. Acad. Sci. U.S.A., 1986, 83, 9551; US 5580859; Immunology today 19 (1998), 89-97); Proc. Natl. Acad. Sci. U.S.A. 90 (1993), 11478-11482; Nat. Med. 3 (1997), 526-532; Vaccine 12 (1994), 1495-1498; DNA Cell. Biol. 12 (1993), 777-783. The dosages will be determined on the basis of clinical and pharmacological-toxicological trials. Generally speaking, they will be comprised between 0.005 $\mu g/kg$ and 5 $\mu g/kg$ of the fragment mix. The composition of the invention can also contain a cytokine or a cytokine encoding plasmid.

The invention will be further illustrated by means of the following examples.

Example 1. Plasmid pMRS166 construction.

BT20 tumor cells (ATCC HTB-19) were cultured in Eagles MEM supplemented with 10% fetal calf serum. Ten million cells were trypsinized, washed with PBS, and mRNA extracted.

An aliquot of this RNA was subjected to RT-PCR (reverse transcriptase-polymerase chain reaction) reaction in the presence of the following synthetic oligonucleotides:

V11 (5 GATCTCTAGAATGACAGGTTCTGGTCATGCAAGC 3)

V4 (5 GATCTCTAGAAAGCTTATCAACCTGAAGCTGGTTCCGTGGC 3)

The produced DNA fragment, purified and digested with the restriction enzyme XbaI, was cloned into the pMRS30 expression

vector, containing the human cytomegalovirus promoter and the beta-globin polyadenylation signal as claimed in the Patent WO9511982. The resulting pMRS166 vector contains a DNA fragment including the ATG codon, the sequence corresponding to the nucleotides 136-339 of the EMBL sequence J05581, and two stop codons, TGA and TAA.

This fragment is reported in fig. 1.

5

10

15

20

25

30

Example 2. Plasmid pMRS169 construction.

An aliquot of the RNA obtained as reported in example 1 was amplified by RT-PCR in the presence of the following synthetic oligonuclotides:

- V12 (5 GATCTCTAGAATGGTGCCCAGCTCTACTGAGAAGAATGC 3)
- V15 (5 GGCGGTGGAGCCCGGGGCTGGCTTGT 3)

The produced DNA fragment, purified and digested with the restriction enzymes SmaI and XbaI, was fused, by the SmaI restriction site, to a DNA fragment entirely synthetically constructed, and including a sequence partially corresponding to the nucleotides 457-720 of the EMBL sequence J05581 and two stop codons, TGA and TAA. The whole fragment was thus cloned in the XbaI site of the pMRS30 expression vector. The resulting pMRS169 vector contains a DNA fragment including the ATG codon, the sequence partially corresponding to the nucleotides 205-720 of the EMBL sequence J05581, and two stop codons, TGA and TAA.

This fragment is reported in fig. 2.

Example 3. Plasmid pMRS168 construction.

An aliquot of the RNA obtained as reported in example 1 was amplified by RT-PCR in the presence of the following synthetic oligonuclotides:

- V13 (5 GATCTCTAGAATGGGCTCAGCTTCTACTCTGGTGCACAACGGC 3)
- V8 (5 GATCTCTAGAAAGCTTATCACAAGGCAATGAGATAGACAATGGCC 3)

The produced DNA fragment, purified and digested with the restriction enzyme XbaI was cloned in the pMRS30 expression vector. The resulting pMRS168 vector contains a DNA fragment including the ATG codon, the sequence corresponding to the

nucleotides 631-1275 of the EMBL sequence J05581, and two stop codons, TGA and TAA.

This fragment is reported in fig. 3.

Example 4. Plasmid pMRS167 construction.

An aliquot of the RNA obtained as reported in example 1 was subjected to RT-PCR reaction in the presence of the following synthetic oligonucleotides:

- V14 (5 GATCTCTAGAATGCTGGTGCTGGTCTGTGTTCTGGTTGCGC 3)
- V10 (5 GATCTCTAGAAAGCTTATCACAAGTTGGCAGAAGTGGCTGC 3)

The produced DNA fragment, purified and digested with the restriction enzyme XbaI was cloned in the pMRS30 expression vector. The resulting pMRS167 vector contains a DNA fragment including the ATG codon, the sequence corresponding to the nucleotides 1222-1497 of the EMBL sequence J05581, and two stop codons, TGA and TAA.

This fragment is reported in fig. 4.

Example 5. Plasmid pMRS175 construction.

pMRS166, 169, 168, 167 plasmids were subjected to PCR reaction in the presence of the following nucleotide pairs:

V11 (see example 1)

5

10

15

25

30

- V18 (5 AACCTGAAGCTGGTTCCGTGGC 3) for pMRS166
- V19 (5 GTGCCCAGCTCTACTGAGAAGAATGC 3)
- V20 (5 GCTGGGAATTGAGAATGGAGTGCTCTTGC 3) for pMRS169
- V21 (5 GGCTCAGCTTCTACTCTGGTGCACAACGGC 3)
- V22 (5 CAAGGCAATGAGATAGACAATGGCC 3) for pMRS168
- V23 (5 CTGGTGCTGGTCTGTGTTCTGGTTGCG 3)
- V10 (see example 4) for pMRS167

The four DNA fragments obtained in the respective PCR reactions were mixed in equimolar amounts and PCR reacted in the presence of the V11 and V10 oligonuclotides.

The produced DNA fragment, purified and digested with the XbaI restriction enzyme, was cloned in the pMRS30 expression vector. The resulting pMRS175 vector contains a DNA fragment including the ATG codon, the sequence partially corresponding to

WO 00/25827 PCT/EP99/07874

the nucleotides 136-1497 of the EMBL sequence J05581 and two stop codons TGA and TAA.

This fragment is reported in fig. 5.

Example 6. Plasmid pMRS171 construction.

MCF7 tumor cells (ATCC HTB-22) were cultured in Eagles MEM supplemented with 10% fetal calf serum. Ten million cells were trypsinized, washed with PBS, and mRNA extracted.

An aliquot of this RNA was subjected to RT-PCR in the presence of the following synthetic oligonucleotides:

UBlup (5GATCTCTAGAATGCAGATCTTCGTGAAGACCCTGACTGGT 3)

UBIdown

5

10

15

20

25

30

The reaction produces a DNA fragment termed fragment 1.

DNA from pGEX11T (Pharmacia) was subjected to PCR reaction in the presence of the following synthetic oligonucleotides:

Laciup (5CCTCCGTCTCAGAGGTGGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTGAAAAG 3)

LacIdown (5GATCGGATCCTCGGGAAACCTGTCGTGCCAGCTGC 3)

This reaction gives a DNA fragment termed fragment 2.

The 1 and 2 DNA fragments, obtained in the respective PCR reactions, were mixed in equimolar amounts and subjected to PCR reaction in presence of the UBIup and LacIdown oligonucleotides.

The produced DNA fragment, purified and digested with the restriction enzymes XbaI and BamHI, was cloned into the pUC18 commercial plasmid. The resulting pMRS156 vector contains a DNA fragment including the sequence encoding the ubiquitin fused to the sequence encoding a bacterial beta-galactosidase portion. This fragment, termed UBILacI, is reported in fig. 6.

Plasmid pMRS166 DNA was subjected to a PCR reaction in presence of the following synthetic oligonucleotides:

V3 (5GATCGGATCCACAGGTTCTGGTCATGCAAGC 3)

V4 (see Example 1)

The produced DNA fragment, purified and digested with the

restriction enzymes XbaI and BamHI, was fused, by ligation into the two BamHI sites, to the UBILacI fragment deriving from the pMRS156 plasmid. The resulting fragment was cloned into the pMRS30 expression vector. The resulting pMRS171 vector contains a DNA fragment including the UBILacI sequence, the sequence corresponding to the 136-339 nucleotides of the EMBL sequence J05581 and two stop codons, TGA and TAA. This fragment is reported in fig. 7.

Example 7. Plasmid pMRS174 construction.

Plasmid pMRS169 DNA was subjected to PCR reaction in the presence of the following synthetic oligonucleotides:

V5 (5GATCGGATCCGTGCCCAGCTCTACTGAGAAGAATGC 3)

V6 (5GATCTCTAGAAAGCTTATCAGCTGGGAATTGAGAATGGAGTGCTCTTGC 3)

The produced DNA fragment, purified and digested with the restriction enzymes XbaI and BamHI, was fused, by ligation into the two BamHI sites, to the UBILacI fragment deriving from the pMRS156 plasmid. The resulting fragment was cloned into the pMRS30 expression vector. The resulting pMRS174 vector contains a DNA fragment including the UBILacI sequence, the sequence corresponding to the 205-720 nucleotides of the EMBL sequence J05581, and two stop codons, TGA and TAA. This fragment is reported in fig. 8.

Example 8. Plasmid pMRS173 construction.

Plasmid pMRS168 DNA was subjected to PCR reaction in the presence of the following synthetic oligonucleotides:

V7 (5GATCGGATCCGGCTCAGCTTCTACTCTGGTGCACAACGGC 3)

V8 (see example 3)

5

10

15

20

25

30

The produced DNA fragment, purified and digested with the restriction enzymes XbaI and BamHI, was fused, by ligation into the two BamHI sites, to the UBILacI fragment deriving from the pMRS156 plasmid. The resulting fragment was cloned into the pMRS30 expression vector. The resulting pMRS173 vector contains a DNA fragment including the UBILacI sequence, the sequence corresponding to the 631-1275 nucleotides of the EMBL sequence

5

10

15

20

25

30

J05581, and two stop codons, TGA and TAA. This fragment is reported in fig. 9.

Example 9. Plasmid pMRS172 construction.

Plasmid pMRS167 DNA was subjected to PCR reaction in the presence of the following synthetic oligonucleotides:

V9 (5 GATCGGATCCCTGGTGCTGGTCTGTGTTCTGGTTGCGC 3)

V10 (see example 4)

The produced DNA fragment, purified and digested with the restriction enzymes XbaI and BamHI, was fused, by ligation into the two BamHI sites, to the UBILacI fragment deriving from pMRS156 plasmid. The resulting fragment was cloned into the pMRS30 expression vector. The resulting pMRS172 vector contains a DNA fragment including the UBILacI sequence, the sequence corresponding to the 1222-1497 nucleotides of the EMBL sequence J05581, and two stop codons, TGA and TAA. This fragment is reported in fig. 10.

Example 10. Plasmid pMRS176 construction.

Plasmid pMRS167 DNA was subjected PCR reaction in the presence of the following synthetic oligonucleotides:

V3 (see example 6)

V10 (see example 4)

The produced DNA fragment, purified and digested with the restriction enzymes XbaI and BamHI, was fused, by ligation into the two BamHI sites, to the UBILacI fragment deriving from pMRS156 plasmid. The resulting fragment was cloned into the pMRS30 expression vector. The resulting pMRS176 vector contains a DNA fragment including the UBILacI sequence, the sequence corresponding to the 136-1497 nucleotides of the EMBL sequence J05581, and two stop codons, TGA and TAA. This fragment is reported in fig. 11.

Example 11. Eukaryotic cell transfection and testing for transcription.

CHO (Chinese Hamster Ovary) cells were cultured in alpha MEM supplemented with ribonucleotides and deoxyribonucleotides

at transfection time.

5

10

15

20

25

30

Dendritic cells were obtained from CD34+ hemopoietic precursors cultured in IMDM without serum, supplemented with GM-CSF, IL4, SCF, Flt3 and TNFalpha. After 7 days the obtained cell population was transfected.

Dendritic cells were obtained from monocytes isolated from PBMC (peripheral blood mononuclear cells), cultured in RPMI supplemented with FCS, GM-CSF, and IL-4. After 7 days the obtained cell population was transfected.

In each case, about one million cells were transfected with one of the plasmids reported in examples 1 to 10. Transfection was carried out using 3 μg of plasmid DNA and 4 μl of DMRIE (Gibco) by lipofection.

After 24 hours cells were harvested, washed with PBS and lysed in order to extract the mRNA.

A mRNA aliquot was subjected to RT-PCR reaction in the presence of the oligonucleotide pair specific for the transfected DNA plasmid.

This experiment was carried out for each plasmid reported in the examples 1 to 10, using the following oligonucleotide pairs: V11/V4 for pMRS166, V12/V6 for pMRS169, V13/V8 for pMRS168, V4/V10 for pMRS167, V4/V10 for pMRS175, UBIup/V4 for pMRS171, UBIup/V6 for pMRS174, UBIup/V8 for pMRS173, UBIup/V10 for pMRS172, V14/V10 for pMRS176.

As a representative example, figure 12 reports the electrophoretic analysis of the DNA fragments obtained by RT-PCR from the mRNA of the three cell populations, transfected with the pMRS169 plasmid. In this case the oligonucleotide pair V12/V6 was used.

Example 12. In vivo study results.

In the *in vivo* studies, the mixtures of the four fragments and the pMRS30 plasmid (vector without insert and thus used as a negative control) were used. In order to test the occurred immunization, an ELISA test was used to show the human mucin

specific antigens.

5

10

15

20

25

The *in vivo* studies were conducted using human MUC1 transgenic C57BL mice. As a consequence in these animals the MUC1 protein represents a self-protein. The employed vaccination schedule consists of 3 intradermic (dorsal portion, 50 micrograms DNA for each side) administrations (at days 0, 14, 28) of 100 micrograms plasmid DNA. At day 14 after the last administration, the animals were sacrificed and sera were tested for anti-human mucin antibodies.

The assayed fragment mixes, object of the present invention, stimulated a good immune response in the treated animals.

On the other hand, vaccination experiments with a 60-aminoacid peptide corresponding to the 20 aminoacids reported in fig. 2, from location 86 to location 105, repeated three times (this peptide is termed 3XTR), were also carried out.

The two vaccinations differ in the type of the elicited antibody response. The antibody titer results much more higher in the vaccination with 3XTR. Furthermore the noticed IgG subtypes are in favor of an essentially humoral (antibody) response in the case of vaccination with 3XTR, and of a cellular response (cytotoxic) in the case of vaccination with DNA. For anti-tumor therapy, a principally cytotoxic immune response is preferable. Because the experiments were carried out on transgenic mice, in whom the human mucin is "self", we can foresee a similar response in humans. This response could justify the use, as DNA vaccines, of the compounds of the present invention in the treatment of MUC1 overxpressing human tumors.

CLAIMS

5

20

25

30

- 1. Pharmaceutical composition containing one or more DNA molecules, encoding fragments of a protein overexpressed in tumor cells in order to induce an antitumor Ag-specific immune response, in combination with suitable excipients and adjuvants.
- 2. Pharmaceutical composition according to claim 1 wherein the overexpressed protein is MUC-1.
- 3. Pharmaceutical composition according to claim 1 or 2 containing at least two DNA molecules each containing a cDNA sequence encoding a Mucin fragment (MUC-1).
 - 4. Composition according to claim 3 containing at least three DNA molecules each containing a cDNA sequence encoding a Mucin fragment (MUC-1).
- 5. Composition according to claim 4 containing at least four DNA molecules each containing a cDNA sequence encoding a Mucin fragment (MUC-1).
 - 6. Composition according to claims 3, 4 or 5 wherein the DNA sequences comprise about 200 to about 700 nucleotides, each sequence being contiguous and possibly partially overlapping, from about 50 to about 150 nucleotides at the 3' and/or 5' end, to the adjacent one.
 - 7. Pharmaceutical composition according to any claim from 2 to 6 wherein the used mixture consists of, at least, two plasmid DNA molecules, each containing a DNA fragment selected from those whose sequences are described in figures 1, 2, 3, and 4.
 - 8. Pharmaceutical composition according to claim 7 wherein the used mixture consists of the pool of plasmid DNA molecules, where each molecule contains a DNA fragment selected from those whose sequences are described in figures 1, 2, 3, and 4.
 - 9. Pharmaceutical composition according to claim 1 or 2 wherein a plasmid DNA molecule containing the sequence described in figure 5 is used.
 - 10. Pharmaceutical composition according to claims 7, 8, or 9

wherein the used plasmid DNA molecules derive from the fusion of the pMRS30 expression vector in Fig. 13 to each sequence described in figures 1, 2, 3, 4, 5.

11. Pharmaceutical composition according to claims 2 to 6 wherein the used sequences, corresponding to single fragments of the protein, are preceded in the 5' termini by the sequence described in Fig. 6 encoding the ubiquitin and a LacI portion from Escherichia Coli.

5

15

20

- 12. Pharmaceutical composition according to claim 11 wherein the mixture consists of one or more sequences deriving from joining the pMRS30 expression vector, described in Fig. 13, to a DNA sequence selected from those described in figures 7, 8, 9, and 10.
 - 13. Pharmaceutical composition according to claim 11 wherein the mixture consists of the totality of the sequences deriving from joining the pMRS30 expression vector to a DNA sequence selected from those described in figures 7, 8, 9, and 10.
 - 14. Pharmaceutical composition according to claim 11 wherein the mixture consists of a sequence deriving from joining the pMRS30 expression vector to the sequence described in figure 11.
 - 15. Pharmaceutical composition according to any preceding claims, further containing a cytokine or a cytokine encoding plasmid.
- 16. A plasmid DNA molecule consisting of the pMRS30 expression vector joined to a DNA sequence, encoding a MUC-1 protein fragment and whose sequence is selected from the group of those described in figures 1, 2, 3, 4, and 5.
 - 17. A DNA molecule encoding a protein MUC-1 fragment preceded in its 5' terminus by the sequence described in Fig. 6.
- 18. A DNA molecule according to claim 17 selected from those described in figures 7, 8, 9, 10, and 11.
 - 19. A plasmid DNA molecule obtained by joining the pMRS expression vector to a DNA molecule selected from those of claim 17 or 18.

21

20. Use of DNA molecules of claims 16-19 in the preparation of a composition with anti-tumor effect.

Figure 1

- 1 ATGACAGGTTCTGGTCATGCAAGCTCTACCCCAGGTGGAGAAAG
- 1 Met Thr GlySer GlyHisAlaSer Ser Thr ProGlyGlyGluLys
- 46 GAGACTTCGGCTACCCAGAGAAGTTCAGTGCCCAGCTCTACTGAG
- 16 GluThr Ser AlaThr GlnArgSer Ser Val ProSer Ser Thr Glu
- 91 AAGAATGCTGTGAGTATGACCAGCGTACTCTCCAGCCACAGC
- 31 LysAsnAlaValSerMetThr SerSerValLeuSerSerHisSer
- 136 CCCGGTTCAGGCTCCTCCACCACTCAGGGACAGGATGTCACTCTG
- 46 ProGlySer GlySer Ser Thr Thr GlnGlyGlnAspVal Thr Leu
- 181 GCCCGGCCACGGAACCAGCTTCAGGTTGATAA
 - 61 ► AlaProAlaThr GluProAlaSer Gly • • •

Figure 2

1 ATGGTGCCCAGCTCTACTGAGAAGAATGCTGTGAGTATGACCAGC 1 Met Val ProSer Ser Thr GluLys AsnAl aVal Ser Met Thr Ser 46 AGCGTACTCTCCAGCCACAGCCCCGGTTCAGGCTCCTCCACCACT 16 ▶ Ser Val LeuSer Ser His Ser Pro GlySer GlySer Ser Thr Thr 91 CAGGGACAGGATGTCACTCTGGCCCCGGCCACGGAACCAGCTTCA 31▶ GinGiyGinAspVaiThr LeuAlaProAlaThr GiuProAlaSer 136 GGTTCAGCTGCCACCTGGGGACAGGATGTCACCTCGGTCCCAGTC 46 ▶ GlySer AlaAlaThr TrpGlyGlnAspValThr Ser ValProVal 181 ACCAGGCCAGCCCTGGGCTCCACCACCCCGCCAGCCCACGATGTC 61▶ Thr ArgProAl aLeuGl ySer Thr Thr ProProAl aHi sAspVal 226 ACCTCAGCCCGGACAACAAGCCAGCCCCGGGAAGTACTGCTCCA 76▶ Thr Ser Al aProAspAsnLysProAl aProGlySer Thr Al aPro 91 ▶ ProAlaHisGlyValThr Ser AlaProAspThr ArgProAlaPro 316 GGTAGTACCGCCCTCCTGCCCATGGTGTCACATCTGCCCCGGAC 106 GlySer Thr AlaProProAlaHis GlyValThr Ser AlaProAsp 361 AACAGGCCTGCATTGGGTAGTACAGCACCGCCAGTACACAACGTT 121 AsnArgProAl aLeuGlySerThr AlaProProVal Hi sAsnVal 406 ACTAGTGCCTCAGGCTCTGCTAGCGGCTCAGCTTCTACTCTGGTG 136 Thr Ser Al aSer GlySer Al aSer GlySer Al aSer Thr LeuVal 451 CACAACGCCACCTCTGCGCGCGCGACCACAACCCCAGCGAGCAAG 151 Hi sAsnGlyThr Ser AlaArgAlaThr Thr Thr ProAlaSer Lys 496 AGCACTCCATTCTCAATTCCCAGCTGATAA

166 Ser Thr ProPheSer I le ProSer • • • • •

Figure 3

1 ATGGGCTCAGCTTCTACTCTGGTGCACAACGGCACCTCTGCCAGG 1 Met Gl vSer Al aSer Thr LeuVal Hi sAsnGl vThr Ser Al a Ara 46 GCTACCACACCCCAGCCAGCAGGAGCACTCCATTCTCAATTCCC 16 AlaThr Thr Thr ProAlaSer LysSer Thr ProPheSer IlePro 91 AGCCACCACTCTGATACTCCTACCACCCTTGCCAGCCATAGCACC 31 ▶ Ser Hi s Hi s Ser A spThr ProThr Thr Leu Al a Ser Hi s Ser Thr 136 AAGACTGATGCCAGTAGCACTCACCATAGCACGGTACCTCCTCTC 46 LysThrAspAlaSerSerThrHisHisSerThrValProProLeu 181 ACCTCCTCCAATCACAGCACTTCTCCCCAGTTGTCTACTGGGGTC 61 ▶ Thr Ser SerAsnHis Ser Thr Ser ProGInLeuSer Thr GIyVal 226 TCTTTCTTTTCCTGTCTTTTCACATTTCAAACCTCCAGTTTAAT 76 ▶ Ser PhePhePheLeuSer PheHis I I eSer AsnLeuGl nPheAsn 271 TCCTCTCTGGAAGATCCCAGCACCGACTACTACCAAGAGCTGCAG 91 ▶ Ser Ser LeuGl uAspProSer ThrAspTyrTyrGl nGl uLeuGl n 316 AGAGACATTTCTGAAATGTTTTTGCAGATTTATAAACAAGGGGGT 106 A rgAspileSer GluMet PheLeuGlnlleTyrLysGlnGlyGly 361 TTTCTGGGCCTCTCCAATATTAAGTTCAGGCCAGGATCTGTGGTG 121 PheLeuGlyLeuSerAsnIleLysPheArgProGlySerValVal 406 GTACAATTGACTCTGGCCTTCCGAGAAGGTACCATCAATGTCCAC 136 Val Gl nLeuThr LeuAl aPhe ArgGl uGl yThr I leAsnVal Hi s 451 GACGTGGAGACACAGTTCAATCAGTATAAAACGGAAGCAGCCTCT 151 AspVal GluThr GlnPheAsnGlnTyrLysThr GluAlaAlaSer 496 CGATATAACCTGACGATCTCAGACGTCAGCGTGAGTGATGTGCCA 166 ArgTyrAsnLeuThr IIeSerAspValSerValSerAspValPro 541 TTTCCTTTCTCTGCCCAGTCTGGGGCTGGGGTGCCAGGCTGGGGC 181 PheProPheSer AlaGinSer GiyAlaGiyVaiProGiyTrpGiy 586 ATCGCGCTGCTGCTGCTCTGTGTTCTGGTTGCGCTGGCCATT 196 ► IleAlaLeuLeuValLeuValCysValLeuValAlaLeuAlalle 631 GTCTATCTCATTGCCTTGTGATAA 211 ValTyrLeuileAlaLeu · · · · ·

PCT/EP99/07874

4/19

Figure 4

- 1 ATGCTGGTGCTGTGTGTTCTGGTTGCGCCGCCATTGTCTAT
- 1▶MetLeuValLeuValCysValLeuValAlaLeuAlalleValTyr
- 46 CTCATTGCCTTGGCTGTCTGTCAGTGCCGCCGAAAGAACTACGGG
- 16 Leuile AlaLeu Ala Vai Cys Gin Cys Arg Arg Lys Asn Tyr Gly
- 91 CAGCTGGACATCTTTCCAGCCCGGGATACCTACCATCCTATGAGC
- 31▶GInLeuAspIlePheProAlaArgAspThrTyrHisProMetSer
- 136 GAGTACCCCACCTACCACACCCATGGGCGCTATGTGCCCCCTAGC
- 46 ▶ Gl uTyrProThr TyrHi sThr Hi sGl yA rgTyrVa l ProProSer
- 181 AGTACCGATCGTAGCCCCTATGAGAAGGTTTCTGCAGGTAATGGT
- 61 Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser AlaGly Asn Gly
- 226 GGCAGCAGCCTCTCTTACACAAACCCAGCAGTGGCAGCCACTTCT
 - 76 ▶ GlySer Ser LeuSer TyrThr Asn Pro Ala Val Ala Ala Thr Ser
- 271 GCCAACTTGTGATAA
 - 91 ► AlaAsnLeu•••••

Figure 5

1 ATGACAGGTTCTGGTCATGCAAGCTCTACCCCAGGTGGAGAAAAG 1 Met Thr GlySer GlyHis Ala Ser Ser Thr ProGlyGlyGluLys 46 GAGACTTCGGCTACCCAGAGAAGTTCAGTGCCCAGCTCTACTGAG 16 ▶ GluThr Ser AlaThr GlnArg Ser Ser Val ProSer Ser Thr Glu 91 AAGAATGCTGTGAGTATGACCAGCGCGCACCAGCC 31 ▶ LysAsnAl aVal Ser Met Thr Ser Ser Val LeuSer Ser HisSer 136 CCCGGTTCAGGCTCCTCCACCACTCAGGGACAGGATGTCACTCTG 46▶ ProGlySer GlySer Ser Thr Thr GlnGlyGlnAspVal Thr Leu 181 GCCCGGCCACGGAACCAGCTTCAGGTTCAGCTGCCACCTGGGGA 61 AlaProAlaThr GluProAlaSer GlySer AlaAlaThr TrpGly 226 CAGGATGTCACCTCGGTCCCAGTCACCAGGCCAGCCCTGGGCTCC 76 ► GInAspValThr Ser Val ProValThr ArgProAlaLeuGlySer 271 ACCACCCGCCAGCCCACGATGTCACCTCAGCCCCGGACAACAAG 91 ► Thr Thr ProProAl aHi sAspVal Thr Ser Al aProAspAsnLys 316 CCAGCCCGGGAAGTACCGCTCCACCAGCACACGGTGTTACCTCG 106 ProAlaProGlySerThrAlaProProAlaHisGlyValThrSer 361 GCTCCGGATACCAGGCCGGCCCCAGGTAGTACCGCCCCTCCTGCC 121 AlaProAspThrArgProAlaProGlySerThrAlaProProAla 406 CATGGTGTCACATCTGCCCCGGACAACAGGCCTGCATTGGGTAGT 136 HisGlyValThr Ser AlaProAspAsnArgProAlaLeuGlySer 451 ACAGCACCGCCAGTACACACGTTACTAGTGCCTCAGGCTCTGCT 151 Thr AlaProProValHisAsnValThr Ser AlaSer GlySer Ala 496 AGCGGCTCAGCTTCTACTCTGGTGCACAACGGCACCTCTGCGCGC 166 Ser GlySer AlaSer Thr LeuVal Hi sAsnGlyThr Ser AlaArg 541 GCGACCACAACCCCAGCGAGCAAGAGCACTCCATTCTCAATTCCC 181 AlaThr Thr ProAlaSer LysSer Thr ProPheSer IlePro 586 AGCCACCACTCTGATACTCCTACCACCCTTGCCAGCCATAGCACC 196 ▶ Ser Hi s Hi s Ser A sp Thr Pro Thr Leu Al a Ser Hi s Ser Thr 631 AAGACTGATGCCAGTAGCACTCACCATAGCACGGTACCTCCTCTC 211 LysThrAspAlaSer Ser Thr HisHisSer Thr Val ProProLeu 676 ACCTCCTCCAATCACAGCACTTCTCCCCAGTTGTCTACTGGGGTC 226 Thr Ser Ser AsnHis Ser Thr Ser ProGInLeuSer Thr GIyVal 721 TCTTTCTTTTTCCTGTCTTTTCACATTTCAAACCTCCAGTTTAAT 241 ▶ Ser PhePhePheLeuSer PheHis II eSerAsnLeuGl nPheAsn 766 TCCTCTCTGGAAGATCCCAGCACCGACTACTACCAAGAGCTGCAG 256 ► Ser Ser LeuGl uAspProSer ThrAspTyrTyrGl nGl uLeuGl n 811 AGAGACATTTCTGAAATGTTTTTGCAGATTTATAAACAAGGGGGT 271 ArgAspIleSerGluMetPheLeuGlnIleTyrLysGlnGlyGly 856 TTTCTGGGCCTCTCCAATATTAAGTTCAGGCCAGGATCTGTGGTG 286 PheLeuGlyLeuSerAsnileLysPheArgProGlySer Val Val

Figure 5 (continued)

901	GTACAATTGACTCTGGCCTTCCGAGAAGGTACCATCAATGTCCAC
301▶	Val Gl nLeuThr LeuAl aPhe ArgGl uGl yThr I leAsnVal His
946	GACGTGGAGACACAGTTCAATCAGTATAAAACGGAAGCAGCCTCT
316▶	AspVal GluThr GlnPheAsnGlnTyrLysThr GluAlaAlaSer
	CGATATAACCTGACGATCTCAGACGTCAGCGTGAGTGATGTGCCA
	ArgTyrAsnLeuThr IIeSerAspValSerValSerAspValPro
1036	TTTCCTTTCTCTGCCCAGTCTGGGGCTGGGGTGCCAGGCTGGGGC
346▶	PheProPheSer AlaGInSer GlyAlaGlyValProGlyTrpGly
1081	
361	lleAlaLeuLeuValLeuValCysValLeuValAlaLeuAlalle
1126	GTCTATCTCATTGCCTTGGCTGTCTGTCAGTGCCGCCGAAAGAAC
376	ValTyrLeuileAlaLeuAlaValCysGlnCysArgArgLysAsn
1171	TACGGGCAGCTGGACATCTTTCCAGCCCGGGATACCTACC
	TyrGlyGlnLeuAspilePheProAlaArgAspThrTyrHisPro
	ATGAGCGAGTACCCCACCTACCACACCCATGGGCGCTATGTGCCC
406	Met Ser GluTyrProThr TyrHisThr HisGlyArgTyrValPro
1261	
	ProSer Ser ThrAspArgSer ProTyrGl uLysVal Ser Al aGl y
1306	AATGGTGGCAGCAGCCTCTCTTACACAAACCCAGCAGTGGCAGCC
	AsnGlyGlySerSerLeuSerTyrThrAsnProAlaValAlaAla
	ACTTCTGCCAACTTGTGATAA
451	Thr Ser Al aAsnLeu•••••

Figure 6

1 ATGCAGATCTTCGTGAAGACCCTGACTGGTAAGACCATCACTCTC 1 MetGInIIePheValLysThrLeuThrGlyLysThrIIeThrLeu 46 GAAGTGGAGCCGAGTGACACCATTGAGAATGTCAAGGCAAAGATC 16 ▶ GluVal GluProSerAspThr II eGluAsnValLysAlaLysII e 91 CAAGACAAGGAAGGCATCCCTCCTGACCAGCAGAGGCTCATCTTT 31 ▶ Gl nAspLysGl uGl y l leProProAspGl nGl nArgLeul lePhe 136 GCAGGCAAGCAGCTGGAAGATGGCCGCACTCTTTCTGACTACAAC 46 ▶ A I aGI yLysGI nLeuGl uAspGI yA rgThr LeuSerAspTyrAsn 181 ATCCAGAAGAGTCCACCTGCACCTGGTGCTCCGTCTCAGAGGT 61 ▶ I I eGI nLysGI uSer Thr LeuHi sLeuVal LeuArgLeuArgGI y 226 GGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTG 76 ▶ GlyArgHisGlySerGlyAlaTrpLeuLeuProValSerLeuVal 271 AAAAGAAAACCACCCTGGCGCCCAATACGCAAACCGCCTCTCCC 91 ▶ Lys ArgLysThr Thr LeuAl aProAsnThr GlnThr AlaSer Pro 316 CGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCC 106 ► A rgAl aLeuAl aAspSer LeuMet Gl nLeuAl aArgGl nVal Ser 361 CGAGGATCC 121 A rgGl ySer

Figure 7

1 ATGCAGATCTTCGTGAAGACCCTGACTGGTAAGACCATCACTCTC 1 Met GinilePheValLysThrLeuThr GlyLysThrlleThrLeu 46 GAAGTGGAGCCGAGTGACACCATTGAGAATGTCAAGGCAAAGATC 16 ▶ GluValGluProSerAspThrlleGluAsnValLysAlaLysIle 91 CAAGACAAGGAAGGCATCCCTCCTGACCAGCAGAGGCTCATCTTT 31 ▶ GI nAspLysGI uGI y I leProProAspGI nGI nArgLeu I lePhe 136 GCAGGCAAGCAGCTGGAAGATGGCCGCACTCTTTCTGACTACAAC 46 ► AlaGlyLysGlnLeuGluAspGlyArgThrLeuSerAspTyrAsn 181 ATCCAGAAAGAGTCCACCTGCACCTGGTGCTCCGTCTCAGAGGT 61 ► I I eGI nLysGI uSer Thr LeuHi sLeuVa I LeuArgLeuArgGI v 226 GGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTG 76 FGI yA rgHi sGI ySer GI yAI aT rpLeuLeuProVaI Ser LeuVaI 271 AAAAGAAAACCACCCTGGCGCCCAATACGCAAACCGCCTCTCCC 91 ► Lys ArgLysThr Thr LeuAl aProAsnThr GlnThr AlaSer Pro 316 CGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCC 106 A rgAl aLeuAl aAspSer LeuMet Gl nLeuAl aArgGl nVal Ser 361 CGAGGATCCACAGGTTCTGGTCATGCAAGCTCTACCCCAGGTGGA 121 A rgGl ySer Thr Gl ySer Gl yHi sAl aSer Ser Thr ProGl yGl y 406 GAAAAGGAGACTTCGGCTACCCAGAGAAGTTCAGTGCCCAGCTCT 136 GluLysGluThr Ser AlaThr GlnArgSer Ser Val ProSer Ser 451 ACTGAGAAGAATGCTGTGAGTATGACCAGCGCGCACTCTCCAGC 151 Thr GluLysAsnAl aVal SerMetThr Ser Ser Val LeuSer Ser 496 CACAGCCCGGTTCAGGCTCCTCCACCACTCAGGGACAGGATGTC 166 His Ser ProGlySer GlySer Ser Thr Thr GlnGlyGlnAspVal 541 ACTCTGGCCCCGGCCACGGAACCAGCTTCAGGTTGATAA 181 Thr Leu Al a Pro Al a Thr Glu Pro Al a Ser Gly • • • • •

Figure 8

1 ATGCAGATCTTCGTGAAGACCCTGACTGGTAAGACCATCACTCTC 1 Met GInilePheValLysThrLeuThrGlyLysThrlieThrLeu 46 GAAGTGGAGCCGAGTGACACCATTGAGAATGTCAAGGCAAAGATC 16 GluValGluProSerAspThrlleGluAsnValLysAlaLysIle 91 CAAGACAAGGAAGGCATCCCTCCTGACCAGCAGAGGCTCATCTTT 31 ▶ GInAspLysGluGlyIleProProAspGlnGlnArgLeuIlePhe 136 GCAGGCAAGCAGCTGGAAGATGGCCGCACTCTTTCTGACTACAAC 46 ► AlaGlyLysGlnLeuGluAspGlyArgThrLeuSerAspTyrAsn 181 ATCCAGAAGAGTCCACCCTGCACCTGGTGCTCCGTCTCAGAGGT 61 ► I I eGI nLysGI uSer Thr LeuHi sLeuVal LeuArgLeuArgGI y 226 GGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTG 76 ▶ Gl yArgHi s Gl ySer Gl yAl aTrpLeuLeuProVal Ser LeuVal 271 AAAAGAAAACCACCCTGGCGCCCAATACGCAAACCGCCTCTCCC 91 Lys ArgLysThr Thr LeuAl aProAsnThr GlnThr Al aSer Pro 316 CGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCC 106 A rgAl aLeuAl aAspSer LeuMet GlnLeuAl a ArgGlnVal Ser 361 CGAGGATCCGTGCCCAGCTCTACTGAGAAGAATGCTGTGAGTATG 121 A rgGl ySer Val ProSer Ser Thr Gl uLysAsnAl aVal Ser Met 406 ACCAGCAGCGTACTCTCCAGCCACAGCCCCGGTTCAGGCTCCTCC 136 Thr Ser Ser Val LeuSer Ser His Ser ProGlySer GlySer Ser 451 ACCACTCAGGGACAGGATGTCACTCTGGCCCCGGCCACGGAACCA 151 Thr Thr GinGiyGinAspVaiThr LeuAlaProAlaThr GiuPro 496 GCTTCAGGTTCAGCTGCCACCTGGGGACAGGATGTCACCTCGGTC 166 AlaSer GlySer AlaAlaThr TrpGlyGlnAspValThr Ser Val 541 CCAGTCACCAGGCCAGCCCTGGGCTCCACCACCCCGCCAGCCCAC 181 ProVal Thr ArgProAl aLeuGl ySer Thr Thr ProProAl aHis 586 GATGTCACCTCAGCCCCGGACAACAAGCCAGCCCCGGGAAGTACT 196 AspVal Thr Ser AlaProAspAsnLysProAlaProGlySer Thr 631 GCTCCACCAGCACACGGTGTTACCTCGGCTCCGGATACCAGGCCG 211 AlaProProAlaHisGlyValThr Ser AlaProAspThr ArgPro 676 GCCCAGGTAGTACCGCCCTCCTGCCCATGGTGTCACATCTGCC 226 AlaProGlySerThrAlaProProAlaHisGlyValThrSerAla 721 CCGGACAACAGGCCTGCATTGGGTAGTACAGCACCGCCAGTACAC 241 ProAspAsnArgProAlaLeuGlySerThrAlaProProValHis 766 AACGTTACTAGTGCCTCAGGCTCTGCTAGCGGCTCAGCTTCTACT 256 AsnVal Thr Ser Al aSer GlySer Al aSer GlySer Al aSer Thr 811 CTGGTGCACAACGCCACCTCTGCGCGCGCGACCACAACCCCAGCG 271 LeuVal Hi sAsnGl yThr Ser Al a ArgAl aThr Thr Thr ProAl a 856 AGCAAGAGCACTCCATTCTCAATTCCCAGCTGATAA 286 Ser Lys Ser Thr ProPheSer IIeProSer • • • • •

Figure 9

1 ATGCAGATCTTCGTGAAGACCCTGACTGGTAAGACCATCACTCTC 1 MetGinilePheValLysThr LeuThr GiyLysThr lieThr Leu 46 GAAGTGGAGCCGAGTGACACCATTGAGAATGTCAAGGCAAAGATC 16 ▶ GluValGluProSerAspThrlleGluAsnValLysAlaLysIle 91 CAAGACAAGGAAGGCATCCCTCCTGACCAGCAGAGGCTCATCTTT 31▶GInAspLysGIuGIyIIeProProAspGInGInArgLeuIIePhe 136 GCAGGCAAGCAGCTGGAAGATGGCCGCACTCTTTCTGACTACAAC 46 ► AlaGi yLysGi nLeuGi uAspGi yA rgThr LeuSerAspTyrAsn 181 ATCCAGAAGAGTCCACCTGCACCTGGTGCTCCGTCTCAGAGGT 61▶ I I eGI nLysGI uSer Thr LeuHi sLeuVa I LeuArgLeuArgGI y 226 GGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTG 76▶ GI yA rgHi s GI ySer GI yA I a TrpLeuLeuProVa I Ser LeuVa I 271 AAAAGAAAACCACCCTGGCGCCCAATACGCAAACCGCCTCTCCC 91 ▶ Lys ArgLys Thr Thr Leu Al a Pro Asn Thr Gln Thr Al a Ser Pro 316 CGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCC 106 ▶ ArgAlaLeuAlaAspSer LeuMetGlnLeuAlaArgGlnValSer 361 CGAGGATCCGGCTCAGCTTCTACTCTGGTGCACAACGGCACCTCT 121 A rgGl ySer Gl ySer Al aSer Thr LeuVal Hi sAsnGl yThr Ser 406 GCCAGGCTACCACAACCCCAGCCAGCAAGAGCACTCCATTCTCA 136 AlaArgAlaThr Thr ProAlaSer LysSer Thr ProPheSer 151 ► I I e Pro Ser Hi s Hi s Ser A sp Thr Pro Thr Thr Leu Al a Ser Hi s 496 AGCACCAAGACTGATGCCAGTAGCACTCACCATAGCACGGTACCT 166▶ Ser Thr LysThrAspAl aSer Ser Thr Hi sHi s Ser Thr Val Pro 541 CCTCTCACCTCCAATCACAGCACTTCTCCCCAGTTGTCTACT 181▶ ProLeuThr Ser Ser AsnHi s Ser Thr Ser ProGl nLeuSer Thr 586 GGGGTCTCTTTCTTTTCCTGTCTTTTCACATTTCAAACCTCCAG 196 ▶ GlyVa! Ser PhePhePheLeuSer PheHis! leSerAsnLeuGln 631 TTTAATTCCTCTCTGGAAGATCCCAGCACCGACTACTACCAAGAG 211▶ PheAsnSer Ser LeuGl uAspProSer ThrAspTyrTyrGl nGl u 676 CTGCAGAGACATTTCTGAAATGTTTTTGCAGATTTATAAACAA 226 ► LeuGinArgAsplieSer GluMetPheLeuGinlieTyrLysGln 721 GGGGGTTTTCTGGGCCTCTCCAATATTAAGTTCAGGCCAGGATCT 241 ▶ Gi yGi yPheLeuGi yLeuSerAsni i eLysPheArgProGi ySer 766 GTGGTGGTACAATTGACTCTGGCCTTCCGAGAAGGTACCATCAAT 256 Val Val Val Gl nLeuThr LeuAl aPhe ArgGl uGl yThr I leAsn 811 GTCCACGACGTGGAGACACAGTTCAATCAGTATAAAACGGAAGCA 271 ▶ Val Hi sAspVal Gl uThr Gl nPheAsnGl nTyrLysThr Gl uAl a 286 AlaSerArgTyrAsnLeuThr!leSerAspValSerValSerAsp 901 GTGCCATTTCCTTTCTCTGCCCAGTCTGGGGCTGCGGGTGCCAGGC 301 ▶ Vai ProPheProPheSer Al aGl nSer Gl yAl aGl yVal ProGl y 946 TGGGGCATCGCGCTGCTGGTGCTGTGTTCTGGTTGCGCTG 316 ▶ TrpGly!!eAlaLeuLeuVa!LeuVa!CysVa!LeuVa!AlaLeu 991 GCCATTGTCTATCTCATTGCCTTGTGATAA 331 AlalieVal TyrLeuileAlaLeu••••••

Figure 10

1 ATGCAGATCTTCGTGAAGACCCTGACTGGTAAGACCATCACTCTC 1 Met GIn HePheVal LysThr LeuThr GlyLysThr HeThr Leu 46 GAAGTGGAGCCGAGTGACACCATTGAGAATGTCAAGGCAAAGATC 16 ▶ GluValGluProSerAspThrlleGluAsnValLysAlaLysIle 91 CAAGACAAGGAAGGCATCCCTCCTGACCAGCAGAGGCTCATCTTT 31 ▶ GInAspLysGiuGiyileProProAspGinGinArgLeuliePhe 136 GCAGGCAAGCAGCTGGAAGATGGCCGCACTCTTTCTGACTACAAC 46 ► AlaGlyLysGlnLeuGluAspGlyArgThrLeuSerAspTyrAsn 181 ATCCAGAAGAGTCCACCCTGCACCTGGTGCTCCGTCTCAGAGGT 61 ▶ I I eGI nLysGI uSer Thr LeuHi sLeuVal LeuArgLeuArqGI v 226 GGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTG 76 ▶ GlyArgHisGlySerGlyAlaTrpLeuLeuProValSerLeuVal 271 AAAAGAAAACCACCCTGGCGCCCCAATACGCAAACCGCCTCTCCC 91 ▶ Lys ArgLysThr Thr LeuAl aProAsnThr GlnThr AlaSer Pro 316 CGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCC 106 A rgAl aLeuAl aAspSer LeuMet Gl nLeuAl aArgGi nVal Ser 361 CGAGGATCCCTGGTGCTGGTCTGTGTTCTGGTTGCGCTGGCCATT 121 A rgGlySer LeuValLeuValCysValLeuValAlaLeuAlalle 406 GTCTATCTCATTGCCTTGGCTGTCTGTCAGTGCCGCCGAAAGAAC 136 Val TyrLeu I le AlaLeu Ala Val Cys Gln Cys Arg Arg Lys Asn 151 ► TyrGlyGlnLeuAspllePheProAlaArgAspThr TyrHisPro 496 ATGAGCGAGTACCCCACCTACCACACCCATGGGCGCTATGTGCCC 166 Met Ser GluTyrProThr TyrHisThr HisGlyArgTyrValPro 541 CCTAGCAGTACCGATCGTAGCCCCTATGAGAAGGTTTCTGCAGGT 181 ▶ ProSer Ser ThrAspArgSer ProTyrGl uLysVal Ser Al aGl v 586 AATGGTGGCAGCAGCCTCTCTTACACAAACCCAGCAGTGGCAGCC 196 AsnGlyGlySerSerLeuSerTyrThrAsnProAlaValAlaAla 631 ACTTCTGCCAACTTGTGATAA 211 Thr Ser Al aAsnLeu•••••

PCT/EP99/07874


12/19

Figure 11

1 ATGCAGATCTTCGTGAAGACCCTGACTGGTAAGACCATCACTCTC 1 Met GiniiePheVaiLysThr LeuThr GlyLysThr iieThr Leu 46 GAAGTGGAGCCGAGTGACACCATTGAGAATGTCAAGGCAAAGATC 16 ▶ GiuVal GluProSerAspThrileGluAsnValLysAlaLysIle 91 CAAGACAAGGAAGGCATCCCTCCTGACCAGCAGAGGCTCATCTTT 31 GI nAspLysGI uGlyIIeProProAspGI nGI nArgLeuIIePhe 136 GCAGGCAAGCAGCTGGAAGATGGCCGCACTCTTTCTGACTACAAC 46▶AlaGlyLysGlnLeuGluAspGlyArgThrLeuSerAspTyrAsn 181 ATCCAGAAGAGTCCACCTGCACCTGGTGCTCCGTCTCAGAGGT 61▶ I leGl nLysGl uSer Thr LeuHi sLeuVal LeuArgLeuArgGl y 226 GGGAGGCACGGTAGTGGTGCATGGCTGTTGCCCGTCTCGCTGGTG 76▶ GlyArgHisGlySerGlyAlaTrpLeuLeuProValSerLeuVal 271 AAAAGAAAACCACCCTGGCGCCCAATACGCAAACCGCCTCTCCC 91 LysArgLysThrThrLeuAlaProAsnThrGInThrAlaSerPro 316 CGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCC 106 A rgAl aLeuAl aAspSer LeuMet Gl nLeuAl a ArgGl nVal Ser 361 CGAGGATCCACAGGTTCTGGTCATGCAAGCTCTACCCCAGGTGGA 121 ArgGlySer Thr GlySer GlyHisAlaSer Ser Thr ProGlyGly 406 GAAAAGGAGACTTCGGCTACCCAGAGAAGTTCAGTGCCCAGCTCT 136 ▶ GluLysGluThr Ser AlaThr GlnArgSer Ser Val ProSer Ser 451 ACTGAGAAGAATGCTGTGAGTATGACCAGCAGCGTACTCTCCAGC 151 Thr GluLysAsnAlaValSerMetThr SerSerValLeuSerSer 496 CACAGCCCGGTTCAGGCTCCTCCACCACTCAGGGACAGGATGTC 166 HisSer ProGlySer GlySer Ser Thr Thr GlnGlyGlnAspVal 541 ACTCTGGCCCCGGCCACGGAACCAGCTTCAGGTTCAGCTGCCACC 181 Thr LeuAlaProAlaThr GluProAlaSer GlySer AlaAlaThr 586 TGGGGACAGGATGTCACCTCGGTCCCAGTCACCAGGCCAGCCCTG 196 TrpGlyGlnAspValThrSerValProValThrArgProAlaLeu 631 GGCTCCACCACCCGCCAGCCCACGATGTCACCTCAGCCCCGGAC 211 ▶ GlySer Thr Thr ProProAl aHi sAspVal Thr Ser Al aProAsp 676 AACAAGCCAGCCCGGGAAGTACCGCTCCACCAGCACACGGTGTT 226 AsnLysProAlaProGlySerThrAlaProProAlaHisGlyVal 721 ACCTCGGCTCCGGATACCAGGCCGGCCCCAGGTAGTACCGCCCCT 241 ▶ Thr Ser Ala Pro Asp Thr Arg Pro Ala Pro GlySer Thr Ala Pro 766 CCTGCCCATGGTGTCACATCTGCCCCGGACAACAGGCCTGCATTG 256 ▶ ProAlaHisGlyValThr Ser AlaProAspAsnArgProAlaLeu 811 GGTAGTACAGCACCGCCAGTACACAACGTTACTAGTGCCTCAGGC 271 ▶ GlySerThr AlaProProValHisAsnValThr SerAlaSerGly 856 TCTGCTAGCGCTCAGCTTCTACTCTGGTGCACAACGGCACCTCT 286 Ser Al aSer GlySer Al aSer Thr LeuVal Hi s AsnGlyThr Ser (Continued)

Figure 11 (continued)

901 GCGCGCGCGACCACACCCCAGCGAGCAAGAGCACTCCATTCTCA 301 AlaArgAlaThr Thr ProAlaSer LysSer Thr ProPheSer 316 ► I I e Pro Ser Hi s Hi s Ser A sp Thr Pro Thr Thr Leu Al a Ser Hi s 991 AGCACCAAGACTGATGCCAGTAGCACTCACCATAGCACGGTACCT 331 Ser Thr LysThrAspAl aSer Ser Thr HisHisSer Thr Val Pro 1036 CCTCTCACCTCCAATCACAGCACTTCTCCCCAGTTGTCTACT 346 ProLeuThr Ser Ser AsnHis Ser Thr Ser ProGInLeuSer Thr 1081 GGGGTCTCTTTCTTTTTCCTGTCTTTTCACATTTCAAACCTCCAG 361 GlyValSer PhePhePheLeuSer PheHislleSerAsnLeuGln 1126 TTTAATTCCTCTGGAAGATCCCAGCACCGACTACTACCAAGAG 376▶ PheAsnSer Ser LeuGl uAspProSer ThrAspTyrTyrGl nGl u 1171 CTGCAGAGACATTTCTGAAATGTTTTTGCAGATTTATAAACAA 391 LeuGInArgAspileSerGluMetPheLeuGInIleTyrLysGln 1216 GGGGTTTTCTGGGCCTCTCCAATATTAAGTTCAGGCCAGGATCT 406 ▶ GlyGlyPheLeuGlyLeuSerAsnlleLysPheArgProGlySer 1261 GTGGTGGTACAATTGACTCTGGCCTTCCGAGAAGGTACCATCAAT 421 Val Val Val Gl nLeuThr LeuAl aPhe ArgGl uGl yThr Il eAsn 1306 GTCCACGACGTGGAGACACAGTTCAATCAGTATAAAACGGAAGCA 436 Val Hi sAspVal Gl uThr Gl nPheAsnGl nT yrLysThr Gl uAl a 451 AlaSerArgTyrAsnLeuThrileSerAspValSerValSerAsp 1396 GTGCCATTTCTTTCTCTGCCCAGTCTGGGGCTGCCAGGC 466 Val ProPheProPheSer Al aGl nSer Gl yAl aGl yVal ProGl y 1441 TGGGGCATCGCGCTGCTGGTGCTGTGTTCTGGTTGCGCTG 481 ▶ TrpGiyileAlaLeuLeuValLeuValCysValLeuValAlaLeu 1486 GCCATTGTCTATCTCATTGCCTTGGCTGTCTGTCAGTGCCGCCGA 496 Alalle Val Tyr Leulle AlaLeu Ala Val Cys Gln Cys Arg Arg 1531 AAGAACTACGGGCAGCTGGACATCTTTCCAGCCCGGGATACCTAC 511 LysAsnTyrGlyGlnLeuAspilePheProAlaArgAspThrTyr 1576 CATCCTATGAGCGAGTACCCCACCTACCACACCCATGGGCGCTAT 526 His ProMet Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr 1621 GTGCCCCTAGCAGTACCGATCGTAGCCCCTATGAGAAGGTTTCT 541 Val ProProSer Ser ThrAspArgSer ProTyrGluLys Val Ser 1666 GCAGGTAATGGTGGCAGCAGCCTCTCTTACACAAACCCAGCAGTG 556 AlaGlyAsnGlyGlySer Ser LeuSer TyrThrAsnProAlaVal 1711 GCAGCCACTTCTGCCAACTTGTGATAA 571 AlaAlaThr Ser AlaAsnLeu • • • • •



15/19

Figure 13

1	CCAGGAAGCTCCTCTGTGTCCTCATAAACCCTAACCTCCTCTACTTGAGA
51	GGACATTCCAATCATAGGCTGCCCATCCACCCTCTGTGTCCTCCTGTTAA
101	TTAGGTCACTTAACAAAAAGGAAATTGGGTAGGGGTTTTTCACAGACCGC
151	TTTCTAAGGGTAATTTTAAAATATCTGGGAAGTCCCTTCCACTGCTGTGT
201	TCCAGAAGTGTTGGTAAACAGCCCACAAATGTCAACAGCAGAAACATACA
251	AGCTGTCAGCTTTGCACAAGGGCCCAACACCCTGCTCATCAAGAAGCACT
301	GTGGTTGCTGTTAGTAATGTGCAAAACAGGAGGCACATTTTCCCCACC
351	TGTGTAGGTTCCAAAATATCTAGTGTTTTCATTTTTACTTGGATCAGGAA
401	CCCAGCACTCCACTGGATAAGCATTATCCTTATCCAAAACAGCCTTGTGG
451	TCAGTGTTCATCTGCTGACTGTCAACTGTAGCATTTTTTTGGGGTTACAGT
501	TTGAGCAGGATATTTGGTCCTGTAGTTTGCTAACACACCCTGCAGCTCCA
551	AAGGTTCCCCACCAACAGCAAAAAAATGAAAATTTGACCCTTGAATGGGT
601	TTTCCAGCACCATTTTCATGAGTTTTTTGTGTCCCTGAATGCAAGTTTAA
651	CATAGCAGTTACCCCAATAACCTCAGTTTTAACAGTAACAGCTTCCCACA
701	TCAAAATATTTCCACAGGTTAAGTCCTCATTTAAATTAGGCAAAGGAATT
751	CTTGAAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTC
801	ATGATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGT
851	GCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATC
901	CGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGG
951	AAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGC
1001	GGCATTTTGCCTCCTGTTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAA

Figure 13

2151 TAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGC 2201 TCTGCTAATCCTGTTACCAGTGGCTGCCAGTGGCGATAAGTCGTGTC 2251 TTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCG 2301 GGCTGAACGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTA 2351 CACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTC 2401 CCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACA 2451 GGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCCTGGTATCTTTATAG 2501 TCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCT 2551 CGTCAGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTA 2601 CGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTT 2701 CCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAA 2751 GCGGAAGAGCGCCTGATGCGGTATTTTCTCCTTACGCATCTGTGCGGTAT 2801 TTCACACCGCATATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCAT 2851 AGTTAAGCCAGTATACAATCAATATTGGCCATTAGCCATATTATTCATTG 2901 GTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTAT 2951 CCATATCATAATATGTACATTTATATTGGCTCATGTCCAACATTACCGCC 3001 ATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGT 3051 CATTAGTTCATAGCCCATATATGGAGTTCCGCGTTACATAACTTACGGTA 3101 AATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCCATTGACGTCAAT 3151 AATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTC 3201 AATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTG 3251 TATCATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCC (Continued) Figure 13 (Continued)

3301 CGCCTGGCATTATGCCCAGTACATGACCTTATGGGACTTTCCTACTTGGC 3351 AGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCGGTTTTGG 3401 CAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAG 3451 TCTCCACCCATTGACGTCAATGGGAGTTTGTTTTGGCACCAAAATCAAC 3501 GGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGC 3551 GGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTAGTGAA 3601 CCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTTGACCTCCATAGAA 3651 GACACCGGGACCGATCCAGCCTCCGCGGCCGGGAACGGTGCATTGGAACG 3701 CGGATTCCCCGTGCCAAGAAAGCTTGTCTAGAACCCGGGAGAGCTCCTGA 3751 GAACTTCAGGGTGAGTTTGGGGACCCTTGATTGTTCTTTTTTTCGCTA 3801 TTGTAAAATTCATGTTATATGGAGGGGGCAAAGTTTTCAGGGTGTTGTTT 3851 AGAATGGGAAGATGTCCCTTGTATCACCATGGACCCTCATGATAATTTTG 3901 TTTCTTCACTTTCTACTCTGTTGACAACCATTGTCTCCTCTTATTTTCT 3951 TTTCATTTCTGTAACTTTTTCGTTAAACTTTAGCTTGCATTTGTAACGA 4001 ATTTTTAAATTCACTTTTGTTTATTTGTCAGATTGTAAGTACTTTCTCTA 4051 ATCACTTTTTTTCAAGGCAATCAGGGTATATTATATTGTACTTCAGCAC 4101 AGTTTTAGAGAACAATTGTTATAATTAAATGATAAGGTAGAATATTTCTG 4151 CATATAAATTCTGGCTGGCGTGGAAATATTCTTATTGGTAGAAACAACTA 4201 CATCCTGGTCATCCTGCCTTTCTCTTTATGGTTACAATGATATACAC 4251 TGTTTGAGATGAGGATAAAATACTCTGAGTCCAAACCGGGCCCCTCTGCT 4301 AACCATGTTCATGCCTTCTTCTTTTTCCTACAGCTCCTGGGCAACGTGCT 4351 GGTTGTTGTGCTGTCTCATCATTTTGGCAAAGAATTCACTCCTCAGGTGC 4401 AGGCTGCCTATCAGAAGGTGGTGGCTGGTGTGGCCAATGCCCTGGCTCAC (Continued) Figure 13 (Continued)

1051 AAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGAT 1101 CTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCC 1151 AATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTG 1201 TTGACGCCGGCAAGAGCAACTCGGTCGCCGCATACACTATTCTCAGAAT 1251 GACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCAT 1301 GACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTG 1351 CGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCT 1401 TTTTTGCACAACATGGGGGATCATGTAACTCGCCTTGATCGTTGGGAACC 1451 GGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTG 1551 CTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGC 1601 AGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATA 1651 AATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGG 1701 CCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCA 1751 GGCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCAC 1801 TGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATATATACTTTAG 1851 ATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCT 1901 TTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACT 1951 GAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTT 2001 TTTCTGCGCGTAATCTGCTGCTTGCAAACAAAAAAACCACCGCTACCAGC 2051 GGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAA 2101 CTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCG (Continued)

19/19

Figure 13 (Continued)

SEQUENCE LISTING

<120> PHARMACEUTICAL COMPOSITION, CONTAINING FRAGMENTS OF AN ANTIGENIC PROTEIN ENCODING DNA ENDOWED WITH ANTI-TUMOR EFFECT

<130> 5653MEUR

<110> MENARINI RICERCHE S.p.A.

<140>

<141>

<150> MI98A002330

<151> 1998-10-30

<160> 35

<170> PatentIn Ver. 2.1

<210> 1

<211> 213

<212> DNA

<213> human

<400> 1

atgacaggtt ctggtcatgc aagctctacc ccaggtggag aaaaggagac ttcggctacc 60 cagagaagtt cagtgccag ctctactgag aagaatgctg tgagtatgac cagcagcgta 120 ctctccagcc acagcccgg ttcaggctcc tccaccactc agggacagga tgtcactctg 180 gccccggcca cggaaccagc ttcaggttga taa 213

<210> 2

<211> 525

<212> DNA

<213> human

<400> 2

atggtgcca gctctactga gaagaatgct gtgagtatga ccagcagcgt actctccagc 60 cacagccccg gttcaggct ctccaccact cagggacagg atgtcactct ggccccggcc 120 acggaaccag cttcaggttc agctgccacc tggggacagg atgtcacctc ggtcccagtc 180 accaggccag ccctgggctc caccaccccg ccagccacc gtgttacctc agccccggac 240 accaggccgg ccccaggtag tactgctca ccagcacacg gtgttacctc ggctccggat 300 accaggccgg cattgggtag taccgccct cctgcccatg gtgtcacatc tgccccggac 360 aacaggcctg cattgggtag tacagcccg ccagtacaca acgttactag tgcctcaggc 420 tctgctagcg gctcagcttc tactctggtg cacaacggca cctctgcgcg cgcgaccaca 480 accccagcga gcaagagcac tccattctca attcccagct gataa 525

```
<210> 3
<211> 654
<212> DNA
<213> human
<400> 3
atgggctcag cttctactct ggtgcacaac ggcacctctg ccagggctac cacaacccca 60
gccagcaaga gcactccatt ctcaattccc agccaccact ctgatactcc taccaccctt 120
gccagccata gcaccaagac tgatgccagt agcactcacc atagcacggt acctcctctc 180
acctecteca ateacageae ttetececag ttgtetactg gggtetettt ettttteetg 240
tottttcaca tttcaaacct ccagtttaat tootototgg aagatoccag caccgactac 300
taccaagagc tgcagagaga catttctgaa atgtttttgc agatttataa acaagggggt 360
tttctgggcc tctccaatat taagttcagg ccaggatctg tggtggtaca attgactctg 420
gccttccgag aaggtaccat caatgtccac gacgtggaga cacagttcaa tcagtataaa 480
acggaagcag cetetegata taacetgaeg ateteagaeg teagegtgag tgatgtgeea 540
tttcctttct ctgcccagtc tggggctggg gtgccaggct ggggcatcgc gctgctggtg 600
ctggtctgtg ttctggttgc gctggccatt gtctatctca ttgccttgtg ataa
                                                                  654
<210> 4
<211> 285
<212> DNA
<213> human
atgctggtgc tggtctgtgt tctggttgcg ctggccattg tctatctcat tgccttggct 60
gtctgtcagt gccgccgaaa gaactacggg cagctggaca tctttccagc ccgggatacc 120
taccatecta tgagegagta ecceaectae cacacecatg ggegetatgt geceeetage 180
agtaccgatc gtagccccta tgagaaggtt tctgcaggta atggtggcag cagcctctct 240
tacacaaacc cagcagtggc agccacttct gccaacttgt gataa
                                                                   285
<210> 5
<211> 1371
<212> DNA
<213> human
<400> 5
atgacaggtt ctggtcatgc aagctctacc ccaggtggag aaaaggagac ttcggctacc 60
cagagaagtt cagtgcccag ctctactgag aagaatgctg tgagtatgac cagcagcgta 120
ctctccagcc acagccccgg ttcaggetcc tccaccactc agggacagga tgtcactctg 180
gccccggcca cggaaccagc ttcaggttca gctgccacct ggggacagga tgtcacctcg 240
gtcccagtca ccaggccagc cctgggctcc accaccccgc cagcccacga tgtcacctca 300
gccccggaca acaagccagc cccgggaagt accgctccac cagcacacgg tgttacctcg 360
gctccggata ccaggccggc cccaggtagt accgccctc ctgcccatgg tgtcacatct 420
gccccggaca acaggcctgc attgggtagt acagcaccgc cagtacacaa cgttactagt 480
gcctcaggct ctgctagcgg ctcagcttct actctggtgc acaacggcac ctctgcgcgc 540
```

```
gcgaccacaa ccccagcgag caagagcact ccattctcaa ttcccagcca ccactctgat 600
actectacea ceettgeeag ceatageace aagaetgatg ceagtageac teaceatage 660
acggtacete eteteacete etecaateae ageaettete eccagtigte taciggggte 720
tetttetttt teetgtettt teacatttea aaceteeagt ttaatteete tetggaagat 780
cccagcaccg actactacca agagetgcag agagacattt ctgaaatgtt tttgcagatt 840
tataaacaag ggggttttct gggcctctcc aatattaagt tcaggccagg atctgtggtg 900
gtacaattga ctctggcctt ccgagaaggt accatcaatg tccacgacgt ggagacacag 960
ttcaatcagt ataaaacgga agcagcetet cgatataace tgacgatete agacgtcage 1020
gtgagtgatg tgccatttcc tttctctgcc cagtctgggg ctggggtgcc aggctggggc 1080
atcgcgctgc tggtgctggt ctgtgttctg gttgcgctgg ccattgtcta tctcattgcc 1140
ttggctgtct gtcagtgccg ccgaaagaac tacgggcagc tggacatctt tccagcccgg 1200
gatacctacc atcctatgag cgagtacccc acctaccaca cccatgggcg ctatgtgccc 1260
cctagcagta ccgatcgtag cccctatgag aaggtttctg caggtaatgg tggcagcagc 1320
ctctcttaca caaacccagc agtggcagcc acttctgcca acttgtgata a
<210> 6
<211> 369
<212> DNA
<213> human
<400> 6
atgcagatet tegtgaagae eetgaetggt aagaeeatea etetegaagt ggageegagt 60
gacaccattg agaatgtcaa ggcaaagatc caagacaagg aaggcatccc tcctgaccag 120
cagaggetea tetttgeagg caageagetg gaagatggee geactettte tgaetacaac 180
atccagaaag agtccaccct gcacctggtg ctccgtctca gaggtgggag gcacggtagt 240
ggtgcatggc tgttgcccgt ctcgctggtg aaaagaaaaa ccaccctggc gcccaatacg 300
caaaccgcct ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc 360
                                                                  369
cgaggatcc
<210> 7
<211> 579
<212> DNA
<213> human
<400> 7
atgcagatet tegtgaagae eetgaetggt aagaecatea etetegaagt ggageegagt 60
gacaccattg agaatgtcaa ggcaaagatc caagacaagg aaggcatccc tcctgaccag 120
cagaggetea tetttgeagg caageagetg gaagatggee geaetettte tgaetaeaac 180
atccagaaag agtccaccct gcacctggtg ctccgtctca gaggtgggag gcacggtagt 240
ggtgcatggc tgttgcccgt ctcgctggtg aaaagaaaaa ccaccctggc gcccaatacg 300
caaaccgcct ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc 360
cgaggatcca caggttctgg tcatgcaagc tctaccccag gtggagaaaa ggagacttcg 420
gctacccaga gaagttcagt gcccagctct actgagaaga atgctgtgag tatgaccagc 480
agggtactct ccagccacag ccccggttca ggctcctcca ccactcaggg acaggatgtc 540
actctggccc cggccacgga accagcttca ggttgataa
                                                                  579
```

```
<210> 8
<211> 891
<212> DNA
<213> human
<400> 8
atgcagatct tcgtgaagac cctgactggt aagaccatca ctctcgaagt ggagccgagt 60
qacaccattg aqaatgtcaa ggcaaagatc caagacaagg aaggcatccc tcctgaccag 120
cagaggetea tetttgeagg caageagetg gaagatggee geactettte tgaetacaae 180
atccagaaag agtccaccct gcacctggtg ctccgtctca gaggtgggag gcacggtagt 240
ggtgcatggc tgttgcccgt ctcgctggtg aaaagaaaaa ccaccctggc gcccaatacg 300
caaaccgcct ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc 360
cgaggatccg tgcccagctc tactgagaag aatgctgtga gtatgaccag cagcgtactc 420
tocagocaca gooooggtto aggotootoo accaotoagg gacaggatgt cactotggoo 480
ccggccacgg aaccagette aggtteaget gccacetggg gacaggatgt caceteggte 540
ccagtcacca ggccagccct gggctccacc accccgccag cccacgatgt cacctcagcc 600
ccggacaaca agccagcccc gggaagtact gctccaccag cacacggtgt tacctcggct 660
ceggatacca ggeeggeece aggtagtace geeceteetg eccatggtgt cacatetgee 720
ccggacaaca ggcctgcatt gggtagtaca gcaccgccag tacacaacgt tactagtgcc 780
teaggetetg etageggete agettetaet etggtgeaca aeggeacete tgegegegeg 840
accacaaccc cagcgagcaa gagcactcca ttctcaattc ccagctgata a
                                                                  891
<210> 9
<211> 1020
<212> DNA
<213> human
<400> 9
atgcagatct tcgtgaagac cctgactggt aagaccatca ctctcgaagt ggagccgagt 60
gacaccattg agaatgtcaa ggcaaagatc caagacaagg aaggcatccc tcctgaccag 120
cagaggetea tetttgeagg caageagetg gaagatggee geactettte tgactacaac 180
atccagaaag agtccaccct gcacctggtg ctccgtctca gaggtgggag gcacggtagt 240
ggtgcatggc tgttgcccgt ctcgctggtg aaaagaaaaa ccaccctggc gcccaatacg 300
caaaccgcct ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc 360
cgaggatccg gctcagcttc tactctggtg cacaacggca cctctgccag ggctaccaca 420
accocagoca goaagagoac tocattotoa attoccagoc accactotga tactoctaco 480
accettgeca gecatageae caagactgat gecagtagea etcaceatag caeggtacet 540
cctctcacct cctccaatca cagcacttct ccccagttgt ctactggggt ctctttcttt 600
ttcctgtctt ttcacatttc aaacctccag tttaattcct ctctggaaga tcccagcacc 660
gactactacc aagagctgca gagagacatt tctgaaatgt ttttgcagat ttataaacaa 720
gggggttttc tgggcctctc caatattaag ttcaggccag gatctgtggt ggtacaattg 780
actotggcot toogagaagg taccatoaat gtocacgacg tggagacaca gttcaatcag 840
tataaaacgg aagcagcctc tcgatataac ctgacgatct cagacgtcag cgtgagtgat 900
gtgccatttc ctttctctgc ccagtctggg gctggggtgc caggctgggg catcgcgctg 960
```

ctggtgctgg tctgtgttct ggttgcgctg gccattgtct atctcattgc cttgtgataa 1020

```
<210> 10
<211> 651
<212> DNA
<213> human
<400> 10
atgcagatct tcgtgaagac cctgactggt aagaccatca ctctcgaagt ggagccgagt 60
gacaccattg agaatgtcaa ggcaaagatc caagacaagg aaggcatccc tcctgaccag 120
cagaggetea tetttgeagg caageagetg gaagatggee geactettte tgaetacaae 180
atccagaaag agtccaccct gcacctggtg ctccgtctca gaggtgggag gcacggtagt 240
ggtgcatggc tgttgcccgt ctcgctggtg aaaagaaaaa ccaccctggc gcccaatacg 300
caaaccgcct ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc 360
cgaggatccc tggtgctggt ctgtgttctg gttgcgctgg ccattgtcta tctcattgcc 420
ttqqctqtct gtcagtgccg ccgaaagaac tacgggcagc tggacatctt tccagcccgg 480
gatacctacc atcctatgag cgagtacccc acctaccaca cccatgggcg ctatgtgccc 540
cctagcagta ccgatcgtag cccctatgag aaggtttctg caggtaatgg tggcagcagc 600
                                                                  651
ctctcttaca caaacccagc agtggcagcc acttctgcca acttgtgata a
<210> 11
<211> 1737
<212> DNA
<213> human
<400> 11
atgcagatct tcgtgaagac cctgactggt aagaccatca ctctcgaagt ggagccgagt 60
gacaccattg agaatgtcaa ggcaaagatc caagacaagg aaggcatccc tcctgaccag 120
cagaggetea tetttgeagg caageagetg gaagatggee geactettte tgactacaac 180
atccagaaag agtccaccct gcacctggtg ctccgtctca gaggtgggag gcacggtagt 240
ggtgcatggc tgttgcccgt ctcgctggtg aaaagaaaaa ccaccctggc gcccaatacg 300
caaaccgcct ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc 360
cgaggatcca caggttctgg tcatgcaagc tctaccccag gtggagaaaa ggagacttcg 420
gctacccaga gaagttcagt gcccagctct actgagaaga atgctgtgag tatgaccagc 480
agegtactet ccagecacag ccceggttca ggeteeteca ccaetcaggg acaggatgte 540
actotggccc cggccacgga accagottca ggttcagctg ccacotgggg acaggatgtc 600
acctoggtcc cagtcaccag gccagccctg ggctccacca ccccgccagc ccacgatgtc 660
acctcagece eggacaacaa gecageeeeg ggaagtaeeg etecaceage acaeggtgtt 720
accteggete eggataceag geeggeecea ggtagtaceg ecceteetge ceatggtgte 780
acatetgeee eggacaacag geetgeattg ggtagtacag cacegeeagt acacaacgtt 840
actagtgcct caggetetge tageggetea gettetaete tggtgcacaa eggeacetet 900
gegegegega ccacaacece agegageaag ageactecat teteaattee cagecaceae 960
tetgatacte etaceacet tgccagecat ageaceaaga etgatgccag tagcacteae 1020
catagoacgg tacctcctct cacctcctcc aatcacagca cttctcccca gttgtctact 1080
qqqqtctctt tctttttcct gtcttttcac atttcaaacc tccagtttaa ttcctctctg 1140
gaagatccca gcaccgacta ctaccaagag ctgcagagag acatttctga aatgtttttg 1200
```

cagatttata aacaaggggg ttttctgggc ctctccaata ttaagttcag gccaggatct 1260 gtggtggtac aattgactct ggccttccga gaaggtacca tcaatgtcca cgacgtggag 1320

acacagttca atcagtataa aacggaagca gcctctcgat ataacctgac gatctcagac 1380 gtcagcgtga gtgatgtgcc atttcctttc tctgcccagt ctggggctgg ggtgccaggc 1440 tggggcatcg cgctgctgt gctggtctgt gttctggttg cgctggccat tgtctatctc 1500 attgccttgg ctgtctgtca gtgccgcga aagaactacg ggcagctgga catctttcca 1560 gcccgggata cctaccatcc tatgagcgag taccccacct accacacca tgggcgctat 1620 gtgccccta gcagtaccga tcgtagccc tatgagaagg tttctgcagg taatggtgc 1680 agcagcctct cttacacaaa cccagcagtg gcagccactt ctgccaactt gtgataa 1737

<210> 12

<211> 4905

<212> DNA

<213> human

<400> 12

ccaggaagct cctctgtgtc ctcataaacc ctaacctcct ctacttgaga ggacattcca 60 atcatagget geceateeae eetetgtgte eteetgttaa ttaggteaet taacaaaaag 120 gaaattgggt aggggttttt cacagaccgc tttctaaggg taattttaaa atatctggga 180 agtecettee aetgetgtgt tecagaagtg ttggtaaaca geceacaaat gteaacagea 240 gaaacataca agctgtcagc tttgcacaag ggcccaacac cctgctcatc aagaagcact 300 gtggttgctg tgttagtaat gtgcaaaaca ggaggcacat tttccccacc tgtgtaggtt 360 ccaaaatatc tagtgttttc atttttactt ggatcaggaa cccagcactc cactggataa 420 gcattatcct tatccaaaac agccttgtgg tcagtgttca tctgctgact gtcaactgta 480 gcattttttg gggttacagt ttgagcagga tatttggtcc tgtagtttgc taacacaccc 540 tgcagctcca aaggttcccc accaacagca aaaaaatgaa aatttgaccc ttgaatgggt 600 tttccagcac cattttcatg agttttttgt gtccctgaat gcaagtttaa catagcagtt 660 accccaataa cctcagtttt aacagtaaca gcttcccaca tcaaaatatt tccacaggtt 720 aagtcctcat ttaaattagg caaaggaatt cttgaagacg aaagggcctc gtgatacgcc 780 tatttttata ggttaatgtc atgataataa tggtttctta gacgtcaggt ggcacttttc 840 ggggaaatgt gcgcggaacc cctatttgtt tatttttcta aatacattca aatatgtatc 900 cgctcatgag acaataaccc tgataaatgc ttcaataata ttgaaaaagg aagagtatga 960 gtattcaaca tttccgtgtc gcccttattc ccttttttgc ggcattttgc cttcctgttt 1020 ttgctcaccc agaaacgctg gtgaaagtaa aagatgctga agatcagttg ggtgcacgag 1080 tgggttacat cgaactggat ctcaacagcg gtaagatcct tgagagtttt cgccccgaag 1140 aacgttttcc aatgatgagc acttttaaag ttctgctatg tggcgcggta ttatcccgtg 1200 ttgacgccgg gcaagagcaa ctcggtcgcc gcatacacta ttctcagaat gacttggttg 1260 agtactcacc agtcacagaa aagcatctta cggatggcat gacagtaaga gaattatgca 1320 gtgctgccat aaccatgagt gataacactg cggccaactt acttctgaca acgatcggag 1380 gaccgaagga gctaaccgct tttttgcaca acatggggga tcatgtaact cgccttgatc 1440 gttgggaacc ggagctgaat gaagccatac caaacgacga gcgtgacacc acgatgcctg 1500 cagcaatggc aacaacgttg cgcaaactat taactggcga actacttact ctagcttccc 1560 ggcaacaatt aatagactgg atggaggcgg ataaagttgc aggaccactt ctgcgctcgg 1620 cccttccggc tggctggttt attgctgata aatctggagc cggtgagcgt gggtctcgcg 1680 gtatcattgc agcactgggg ccagatggta agccctcccg tatcgtagtt atctacacga 1740 cggggagtca ggcaactatg gatgaacgaa atagacagat cgctgagata ggtgcctcac 1800 tgattaagca ttggtaactg tcagaccaag tttactcata tatactttag attgatttaa 1860 aacttcattt ttaatttaaa aggatctagg tgaagatcct ttttgataat ctcatgacca 1920 aaatccctta acgtgagttt tcgttccact gagcgtcaga ccccgtagaa aagatcaaag 1980

6

gatcttcttg	agatcctttt	tttctgcgcg	taatctgctg	cttgcaaaca	aaaaaccac	2040
cgctaccagc	ggtggtttgt	ttgccggatc	aagagctacc	aactctttt	ccgaaggtaa	2100
ctggcttcag	cagagcgcag	ataccaaata	ctgtccttct	agtgtagccg	tagttaggcc	2160
accacttcaa	gaactctgta	gcaccgccta	catacctcgc	tctgctaatc	ctgttaccag	2220
tggctgctgc	cagtggcgat	aagtcgtgtc	ttaccgggtt	ggactcaaga	cgatagttac	2280
cggataaggc	gcagcggtcg	ggctgaacgg	ggggttcgtg	cacacagccc	agcttggagc	2340
gaacgaccta	caccgaactg	agatacctac	agcgtgagct	atgagaaagc	gccacgcttc	2400
ccgaagggag	aaaggcggac	aggtatccgg	taagcggcag	ggtcggaaca	ggagagcgca	2460
cgagggagct	tccaggggga	aacgcctggt	atctttatag	tcctgtcggg	tttcgccacc	2520
tctgacttga	gcgtcgattt	ttgtgatgct	cgtcaggggg	gcggagccta	tggaaaaacg	2580
ccagcaacgc	ggccttttta	cggttcctgg	ccttttgctg	gccttttgct	cacatgttct	2640
ttcctgcgtt	atcccctgat	tctgtggata	accgtattac	cgcctttgag	tgagctgata	2700
ccgctcgccg	cagccgaacg	accgagcgca	gcgagtcagt	gagcgaggaa	gcggaagagc	2760
gcctgatgcg	gtattttctc	cttacgcatc	tgtgcggtat	ttcacaccgc	atatggtgca	2820
ctctcagtac	aatctgctct	gatgccgcat	agttaagcca	gtatacaatc	aatattggcc	2880
attagccata	ttattcattg	gttatatagc	ataaatcaat	attggctatt	ggccattgca	2940
			ttatattggc			
atgttgacat	tgattattga	ctagttatta	atagtaatca	attacggggt	cattagttca	3060
tagcccatat	atggagttcc	gcgttacata	acttacggta	aatggcccgc	ctggctgacc	3120
gcccaacgac	ccccgcccat	tgacgtcaat	aatgacgtat	gttcccatag	taacgccaat	3180
agggactttc	cattgacgtc	aatgggtgga	gtatttacgg	taaactgccc	acttggcagt	3240
acatcaagtg	tatcatatgc	caagtacgcc	ccctattgac	gtcaatgacg	gtaaatggcc	3300
cgcctggcat	tatgcccagt	acatgacctt	atgggacttt	cctacttggc	agtacatcta	3360
			gcggttttgg			
			tctccacccc			
			aaaatgtcgt			
			ggtctatata			
			ctgttttgac			
			cattggaacg			
agcttgtcta	gaacccggga	gagctcctga	gaacttcagg	gtgagtttgg	ggacccttga	3780
ttgttctttc	tttttcgcta	ttgtaaaatt	catgttatat	ggaggggca	aagttttcag	3840
ggtgttgttt	agaatgggaa	gatgtccctt	gtatcaccat	ggaccctcat	gataattttg	3900
tttctttcac	tttctactct	gttgacaacc	attgtctcct	cttattttct	tttcattttc	3960
tgtaactttt	tcgttaaact	ttagcttgca	tttgtaacga	atttttaaat	tcacttttgt	4020
ttatttgtca	gattgtaagt	actttctcta	atcacttttt	tttcaaggca	atcagggtat	4080
attatattgt	acttcagcac	agttttagag	aacaattgtt	ataattaaat	gataaggtag	4140
aatatttctg	catataaatt	ctggctggcg	tggaaatatt	cttattggta	gaaacaacta	4200
catcctggtc	atcatcctgc	ctttctcttt	atggttacaa	tgatatacac	tgtttgagat	4260
gaggataaaa	tactctgagt	ccaaaccggg	cccctctgct	aaccatgttc	atgccttctt	4320
ctttttccta	cagctcctgg	gcaacgtgct	ggttgttgtg	ctgtctcatc	attttggcaa	4380
agaattcact	cctcaggtgc	aggctgccta	tcagaaggtg	gtggctggtg	tggccaatgc	4440
cctggctcac	aaataccact	gagatctttt	tccctctgcc	aaaaattatg	gggacatcat	4500
gaagcccctt	gagcatctga	cttctggcta	ataaaggaaa	tttattttca	ttgcaatagt	4560
			aaggacatat			
			ggcaacatat			
			atatgaaaca			
tattccatag	aaaagccttg	acttgaggtt	agatttttt	tatattttgt	tttgtgttat	4800
ttttttcttt	aacatcccta	aaattttcct	tacatgtttt	actagccaga	tttttcctcc	4860

-ataataaat	agtaggagt	atagctqtcc	ctcttctctc	gatee
tctcctgact	actcccaqtc	atagetqtee	CLCLLCLCLG	galcc

4905

<210> 13

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic
 oligonucleotide

<400> 13

gatcggatcc acaggttctg gtcatgcaag c

31

<210> 14

<211> 41

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic oligonucleotide

<400> 14

gatototaga aagottatoa acotgaagot ggttoogtgg c

41

<210> 15

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic
 oligonucleotide

<400> 15

gatcggatcc gtgcccagct ctactgagaa gaatgc

36

<210> 16

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

v	VO 00/25827	PCT/EP99/07874
<223>	Description of Artificial Sequence: synthetic oligonucleotide	
<400>	16	
gatct	ctaga aagcttatca gctgggaatt gagaatggag tgctcttgc	49
<210>		
<211>		
<212>	Artificial Sequence	
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: synthetic oligonucleotide	
<400>	17	
gatcg	gatcc ggctcagctt ctactctggt gcacaacggc	40
<210>	18	
<211>	45	
<212>		
<213>	Artificial Sequence	
<220>		
	Description of Artificial Sequence: synthetic oligonucleotide	
<400>	18	
	ctaga aagcttatca caaggcaatg agatagacaa tggcc	45
<210>	19	
<211>	38	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	Description of Artificial Sequence: synthetic	
122	oligonucleotide	
<400>	19	
gatcg	gatec etggtgetgg tetgtgttet ggttgege	38
<210>	20	
<211>		

<212>	DNA	
<213>	Artificial Sequence	
	-	
<220>		
	Description of Artificial Sequence: synthetic oligonucleotide	
	Oligonacieotiae	
<400>	20	
	ctaga aagettatea caagttggea gaagtggetg e	41
gattt	ctaga aageeeatea caageeggea gaageggeeg e	*
.210-	21	
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: synthetic	
	oligonucleotide	
<400>	21	
gatct	ctaga atgacaggtt ctggtcatgc aagc	34
<210>	22	
<211>	39	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: synthetic	
	oligonucleotide	
	·	
<400>	22	
	ctaga atggtgccca gctctactga gaagaatgc	39
gatte	ocaga acggegoca gerecacega gaagaacge	
<210>	22	
<211>		
<211>		
<213>	Artificial Sequence	•
<220>		
<223>	Description of Artificial Sequence: synthetic	
	oligonucleotide	*
<400>		
gatct	ctaga atgggctcag cttctactct ggtgcacaac ggc	43

<210>	24	
<211>	41	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	Description of Artificial Sequence: synthetic	
	oligonucleotide	
<400>	24	
		41
gaccc	staga atgetggege tgggtttgege totggttgeg t	
<210>	25	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: synthetic	
	oligonucleotide	
<400>	25	
ggcggt	tggag cccggggctg gcttgt	26
<210>	26	
<211>	22	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
<223>	Description of Artificial Sequence: synthetic	
	oligonucleotide	
<400>	26	
aacctg	gaagc tggttccgtg gc	22
<210>	27	
<211>		
<212>		
	Artificial Sequence	
<220>		
	Description of Artificial Sequence: synthetic	
~~~>	beson the Antificial bequence, bynemetre	

WO 00/25827	PCT/EP99/07874
oligonucleotide	
<400> 27 gtgcccagct ctactgagaa gaatgc	26
<210> 28 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence: synthetic oligonucleotide	
<400> 28 gctgggaatt gagaatggag tgctcttgc	29
<210> 29 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence: synthetic oligonucleotide	
<400> 29 ggctcagctt ctactctggt gcacaacggc	30
<210> 30 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence: synthetic oligonucleotide	
<400> 30	
caaggcaatg agatagacaa tggcc	25
<210> 31 <211> 27	

<212> DNA

<213>	Artificial Sequence	
	Description of Artificial Sequence: synthetic oligonucleotide	
<400> ctggtg		27
<210><211><211><212><213>	40	
	Description of Artificial Sequence: synthetic oligonucleotide	
<400> gatctc		40
<210><211><211><212><213>	68	
	Description of Artificial Sequence: synthetic oligonucleotide	
<400> tcacca gcacca	agega gaegggeaae ageeatgeae eactaeegtg eeteecaeet etgagaegga	60 68
<210><211><212><213>	66	
<220> <223>	Description of Artificial Sequence: synthetic oligonucleotide	
<400>	34 gtctc agaggtggga ggcacggtag tggtgcatgg ctgttgcccg tctcgctggt	60

gaaaag 66

<210> 35

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic oligonucleotide

<400> 35

gatcggatcc tcgggaaacc tgtcgtgcca gctgc

35